FEMA National Watch Center

Daily Operations Briefing

Thursday, July 1, 2021 8:30 a.m. ET



National Current Ops / Monitoring

New Significant Incidents / Ongoing Ops

- Partial Building Collapse Surfside, FL
- Hazmat Release Morris, IL

Hazard Monitoring

- Severe Thunderstorms Mid-Atlantic
- Heavy Rain and Flash Flooding Southern Plains, Appalachians, and Mid-Atlantic
- Fire Weather and Excessive Heat Pacific Northwest to the Northern Plains
- Tropical Activity:
 - Atlantic: Tropical Storm Elsa

Disaster Declaration Activity

None

Event Monitoring

None



Partial Building Collapse - Surfside, FL

<u>Current Situation</u>: On June 24th, a partial building collapse occurred at the 13-story Champlain Towers South condominiums in Surfside, FL. A multi-jurisdictional Search and Rescue response operation is ongoing.

<u>Lifeline Impacts:</u> (FEMA Region IV)

Safety & Security:

- 72 of the 136 units were involved in the collapse; remaining structure is compromised
- 143 (-3) individuals remain unaccounted for

Food, Water, Shelter


ARC using 18 (+1) hotels rooms to sheltering of 35 (+1) survivors (ARC Midnight Shelter Count as of 7:00 a.m. ET, July 1)

Health & Medical

- 11 injuries / 18 (+6) fatalities (EM-3560 Daily Snapshot as of 1:00 p.m. ET, June 30)
- Florida Emergency Mortuary Operations Response System (FEMORS) deployed; equipment and personnel, specifically DNA and Anthropology teams, sent

FEMA / Federal Response

- Region IV RWC is monitoring; IMAT-1 deployed; RRCC rostered and available
- Initial Operating Facility (IOF) established; Emergency Declaration FEMA-3560-EM-FL approved
- Deployed FEMA Resources: Total Staff 83 (+15) (68 (+3) deployed; 15 (+12) pending check-in)
 - US&R
 - 4 structural engineers (State Request)
 - 1 Incident Support Team (IST) (12 system/3 FEMA personnel); balance of IST (13 personnel) traveling Jul 1
 - 5 Type-1 US&R TFs
 - In staging: VA-TF2 (Ft. Lauderdale, FL)
 - Deployed & In transit: OH-TF1, PA-TF1, IN-TF1, and NJ-TF1; anticipated arrival Jul 1
 - US&R Alerted: 2 Type-1 TFs (TX-TF1 & NY-TF1)
 - 4 FEMA LNOs deployed to FL; 2 from US&R, 1 from FIMA, and 1 from Region IV
 - ESF #15 (External Affairs): Team Leader deployed
 - MERS personnel and equipment deployed
- FEMA Logistics: Staging Management Team on alert
- Individual Assistance (IA) registration intake/helpline opened; IA staff is onsite; 59 (+18) registrations complete
- USACE: ESF #3 Team Leader, 3 Geotechnical/Structural Safety Specialists, & 2 Debris SMEs onsite



State / Local Response:

- FL EOC at Partial (COVID-19); Governor declared State of Emergency
- Miami-Dade County EOC at Partial; signed Local State of Emergency
- FL US&R: TF1, through TF-8 deployed as state assets; Crisis Response Team mobilized
- Evidence Staging Area operational; debris removal ongoing
- FL ESF-4/9 coordinating mental health services/incident stress management resources for US&R responders (EM-3560 Daily Snapshot as of 3:00 p.m. ET, June 28)



Hazmat Release - Morris, IL - Final

Current Situation: At 3:00 p.m. ET on June 30, an industrial fire was reported at the old Federal Paper Board factory now occupied by the Superior Battery Company in Morris, IL (pop. 15k). Approximately 200k lbs. of lithium batteries ranging in size from small cell phone to commercial sized batteries are burning. Due to the chemical nature of the fire, water or foam cannot be used for suppression. Crews are monitoring and allowing the fire to burn its course.

Lifeline Impacts:

Safety & Security:

- Mandatory evacuations for 1,000 homes extended till 10:00 p.m. ET today (source: FEMA Region V)
- 1 shelter / 15 (+8) occupants (source: ARC Midnight Shelter Count as of 7:00 a.m. ET, July 1)

Hazardous Material:


- Lithium batteries releasing hydrogen fluoride
 - Concentrations of this gas could lead to respiratory symptoms

State / Local Response:

- IL EOC at Full Activation (COVID-19)
- Governor has deployed the IL NG to Morris, IL (source: RV Incident Report as of 7:15 p.m. ET)
- State of IL requested and IMAAC activation through FEMA Region V


FEMA / Federal Response:

- Region V RWC is in contact with the IL FEMA FIT and IL EOC
- IMAAC deactivated
- NWC and Region V RWC will continue to monitor







Tropical Storm Elsa SATELLITE LOOP




Tropical Storm Elsa FORECAST TRACK



Tropical Storm Elsa MOST LIKELY ARRIVAL OF TS WINDS




East Pacific Overview TROPICAL OUTLOOK




Central Pacific Overview TROPICAL OUTLOOK









National Weather Forecast








Severe Weather Outlook






Precipitation & Excessive Rainfall





Hazards Outlook – Jul 3-7





Wildfire Summary

Fire Name	FMAG #	Acres Burned	Percent Contained	Evacuations	Structure	Fatalities /			
(County, ST)					Threatened	Damaged	Destroyed	Injuries	
Lava	5393-FM-CA	17,591 (+4,291)	19%	M: 3,200	H: 53	H: 0	H: 0	0/2	
(Siskiyou, CA)				V: 0	0: 0	0: 0	0: 0		
0419		R 100	100% (+100)	M: 0 (-725)	H: 0 (-1,339)	H: 0	H: 0	0/0	
(Deschutes, OR) 5394-F FINAL	5394-FM-OR			V: 0	0: 0	0: 0	O: 0		

(Evacuations: M = Mandatory / V = Voluntary; Structures: H = Homes and Mixed Commercial/Residential / O = Non-residential Commercial/Other Minor Structures)




Joint Preliminary Damage Assessments

Region	State /	Event	IA	Number of C	ounties	Ctout Fuel
	Location	Event		Requested	Complete	Start – End
V MI	Severe Weather and Flooding	IA	1	0	TBD – TBD	
	IVII	Jun 25-26	PA	3	0	TBD – TBD
VI NM	Severe Storms and Flooding	IA	0	0	N/A	
	May 30-31	PA	2	2 (+2)	6/21 - 6/30	
VIII MT	NAT	Severe Storms	IA	0	0	N/A
	IVI I	Jun 8-10	PA	5	0	6/21 - TBD



FEMA Common Operating Picture





Helping people before, during, and after disasters.



Scan to subscribe to this briefing.