


**2020 eCQM Flow**  
**eCQM Identifier: CMS147v9**  
**NQF Number: 0041e**

**NOTE:** This flow diagram represents an overview of population criteria requirements. **Refer to the eCQM specification for a complete list of data elements included in this measure and required for submission.**

**Preventive Care and Screening: Influenza Immunization**


Percentage of patients aged 6 months and older seen for a visit between October 1 and March 31 who received an influenza immunization OR who reported previous receipt of an influenza immunization

**This eCQM is a patient-based measure**



2020 eCQM Flow  
eCQM Identifier: CMS147v9  
NQF Number: 0041e

# Preventive Care and Screening: Influenza Immunization



## Sample Calculation

Performance Rate =

Numerator (a = 40 patients)

Denominator (b = 100 patients) - Denominator Exceptions (c = 20 patients)

$$= \frac{40}{80} = 50\%$$

**eCQM Identifier: CMS147v9****NQF Number: 0041e****eCQM Title: Preventative Care and Screening: Influenza Immunization**

**NOTE:** This flow diagram represents an overview of population criteria requirements. Refer to the eCQM specification for a complete list of data elements included in this measure and required for submission.

**Description:** Percentage of patients aged 6 months and older seen for a visit between October 1 and March 31 who received an influenza immunization OR who reported previous receipt of an influenza immunization.

**This eCQM is a patient-based measure.**

### **eCQM Flow Narrative**

#### **Initial Population**

Start by identifying the Initial Population, which includes patients 6 months of age and older with either an eligible encounter during the measurement period, or are receiving hemodialysis during the measurement period, or are receiving peritoneal dialysis during the measurement period.

#### **Denominator**

The Denominator equals the Initial Population. In the sample calculation provided at the end of the eCQM flow, the Denominator is equal to 100 patients.

#### **Numerator**

The Numerator criteria identify a subset of the Denominator population (that did not meet the Denominator Exceptions criteria). The Numerator criteria include patients that either had the influenza immunization performed during influenza season including August and September of the prior year, or reported previous receipt of an influenza immunization. In the sample calculation provided at the end of the eCQM flow, the Numerator is equal to 40 patients.

#### **Denominator Exceptions**

The Denominator Exceptions criteria identify patients from the Denominator who did not meet the Numerator population criteria due to documentation of medical reason(s) (e.g., patient allergy, other medical reasons), patient reason(s) (e.g., patient declined, other patient reasons), or system reason(s) (e.g., vaccine not available, other system reasons) for not receiving the influenza immunization. In the sample calculation provided at the end of the eCQM flow, the Denominator Exceptions are equal to 20 patients.

#### **Sample Calculation**

A sample calculation is provided to help determine how the measure performance rate is derived. The measure performance rate is calculated by dividing the Numerator (total equals 40 patients) by the difference between the Denominator (total equals 100 patients), and the Denominator Exceptions (total equals 20 patients), which is equal to a score of 50 percent.