

Maine Weekly Influenza Surveillance Report

March 10, 2020

For MMWR week 10 (ending 03/07/2020)




Geographic Spread: Widespread


Surveillance Information – Maine, 2019-2020 Influenza Season

- Number of ILINet Providers reporting: 47
 - % of visits for Influenza-Like Illness (ILI): 4.40
- Syndromic Surveillance
 - % of Emergency Room visits for ILI: 5.1
 - % of Emergency Medical Services (EMS) runs for ILI: N/A

Outpatient Visits for ILI – Maine, 2018-20




Syndromic Surveillance data for ILI – Maine, 2018 -20



Influenza Hospitalizations

- # of hospitalizations: 34


Influenza Hospitalizations – Maine, 2018-20



Pneumonia and Influenza (P&I) Deaths

- % of deaths due to P&I: 12.7
- # influenza deaths reported this week: 2
- Total influenza deaths this season: 27

Deaths Attributable to P&I – Maine, 2018-20




*This number represents the number of individuals who had influenza specifically listed on their death certificate. This is likely an underrepresentation of the true burden, as many influenza-associated deaths are due to secondary infections. This is why Maine CDC reports Pneumonia and Influenza (P&I) deaths.


Lab Data – Maine, 2019-2020 Influenza Season

- # of samples tested at HETL: 26
 - # positive: 3
 - % positive: 12
- # of samples tested at Maine Reference Labs: 819
 - # positive: 218
 - % positive: 26.6
- # of samples positive by rapid antigen test: 299


Positive PCR Samples for Influenza, HETL – Maine, 2019-20



Positive Samples for Influenza, Maine Reference Labs – Maine, 2019-20




Total Reported Positive Influenza Tests – Maine, 2019-20



Cumulative Influenza Positive Tests by Strain, HETL – Maine, 2019-20

- Influenza A (pH1N1)
- Influenza A (H3N2)
- Influenza A (unsubtyped)
- Influenza B (Victoria)
- Influenza B (Yamagata)
- Influenza B (no lineage)
- Influenza (untyped)



Antiviral Resistance – Maine, 2019-20 Influenza Season

- # of Influenza A (pH1N1) samples tested for Tamiflu resistance at HETL: 126
 - # with resistance: 0
- # of Influenza A (H3) samples tested for Tamiflu resistance at HETL: 0
 - # with resistance: 0

Pediatric Influenza Deaths


- One pediatric influenza-associated death reported during the 2019-20 influenza season in an unvaccinated child. This was reported as influenza B.

Geographic Distribution of Lab Tests, Maine 2019-20*

County	Positive labs		Hospitalizations	
	Tested this week	Total	New this week	Total
Androscoggin	77	764	1	33
Aroostook	53	565	1	18
Cumberland	108	1369	6	106
Franklin	9	181	0	26
Hancock	43	300	1	11
Kennebec	37	370	2	29
Knox	26	232	1	4
Lincoln	13	197	6	19
Oxford	14	329	6	34
Penobscot	189	1313	4	53
Piscataquis	19	153	0	3
Sagadahoc	11	170	1	10
Somerset	38	291	1	18
Waldo	15	214	0	13
Washington	37	187	0	5
York	132	2170	4	69
Total	821	8805	34	451

*Only reported PCR, culture, and rapid antigen tests are included in the chart and map.


Positive Influenza Tests, Maine 2019-20



Age Information – Maine, 2019-20 Influenza Season

	Cases	Hospitalizations	Deaths
Minimum Age	6 days	6 days	<5 years
Mean Age	28 years	55 years	70 years
Maximum Age	104 years	104 years	104 years

Positive Influenza Tests by Age and Hospitalization Status – Maine, 2019-20



All data is preliminary and subject to change


Antigenic Characterization (Vaccine Strain Match)

- Federal CDC has antigenically characterized 363 influenza viruses from September 29– February 29, 2020.
 - 86.3% of influenza A/H1N1 samples match the vaccine strain
 - 40.8% of influenza A/H3N2 samples match the vaccine strain
 - 65.1% of influenza B/Victoria samples match the vaccine strain
 - 100% of influenza B/Yamagata samples match the vaccine strain
- Antigenic characterization shows if the circulating strains are the same strains that were used to make the vaccine. This does not tell you how effective the vaccine is at creating an immune response.

Influenza-Like Illness Outbreaks – Maine, 2019-20 Influenza Season

- # new outbreaks: 7
- Total outbreaks 2019-20 season: 75

Influenza-Like Illness Outbreaks by Facility Type – Maine, 2019-20



Influenza-Like Illness Outbreak by Facility Type and County – Maine, 2019-20

County	LTC	AC	K12	Univ	HCW	Inst	Camp	Total
Androscoggin	3	1	1	1	0	0	0	6
Aroostook	2	0	0	0	0	0	0	2
Cumberland	8	5	5	0	0	3	0	21
Franklin	1	1	1	0	0	0	0	3
Hancock	0	0	2	0	0	0	0	2
Kennebec	4	0	0	0	0	0	0	4
Knox	2	0	0	0	0	0	0	2
Lincoln	1	0	2	0	0	0	0	3
Oxford	3	1	1	0	0	0	0	5
Penobscot	3	0	0	0	0	0	0	3
Piscataquis	0	0	0	0	0	0	0	0
Sagadahoc	1	0	0	0	0	0	0	1
Somerset	1	0	1	0	0	0	0	2
Waldo	1	0	1	0	0	0	0	2
Washington	1	0	0	0	0	0	0	1
York	12	1	5	0	0	0	0	18
Total	43	9	19	1	0	3	0	75

National Influenza Surveillance Data

Source: <https://www.cdc.gov/flu/weekly/>



A Weekly Influenza Surveillance Report Prepared by the Influenza Division

Weekly Influenza Activity Estimates Reported by State and Territorial Epidemiologists*

Week Ending Feb 29, 2020 - Week 9




*This map indicates geographic spread and does not measure the severity of influenza activity.



A Weekly Influenza Surveillance Report Prepared by the Influenza Division

Influenza-Like Illness (ILI) Activity Level Indicator Determined by Data Reported to ILINet

2019-20 Influenza Season Week 9 ending Feb 29, 2020



*This map uses the proportion of outpatient visits to healthcare providers for influenza-like illness to measure the ILI activity level within a state. It does not, however, measure the extent of geographic spread of flu within a state. Therefore, outbreaks occurring in a single city could cause the state to display high activity levels.

*Data collected in ILINet may disproportionately represent certain populations within a state, and therefore may not accurately depict the full picture of influenza activity for the whole state.

*Data displayed in this map are based on data collected in ILINet, whereas the State and Territorial flu activity map are based on reports from state and territorial epidemiologists. The data presented in this map is preliminary and may change as more data is received.

*Differences in the data presented by CDC and state health departments likely represent differing levels of data completeness with data presented by the state likely being the more complete.

*For the data download you can use Activity Level for the number and Activity Level Label for the text description.