Oregon's Weekly Surveillance Summary



Weekly Data Report - September 9, 2021

Table of Contents

Background	3
Weekly Report Summary	4
Clinical Characteristics and risk factors	5
Epidemiologic links	5
Figure 1. Epidemiologic link of recent COVID-19 cases by week of onset	6
Figure 2. Epidemiologic link of all COVID-19 cases by week of onset	7
Figure 3. Recent sporadic COVID-19 cases by race and week of onset	8
Figure 4. All sporadic COVD-19 cases by race and week of onset	9
Figure 5. Recent sporadic COVID-19 cases by ethnicity and week of onset	10
Figure 6. All sporadic COVID-19 cases by ethnicity and week of onset	11
Clinical symptoms and reported risk factors	11
Figure 7. Reported signs and symptoms for all COVID-19 cases	12
Figure 8. Reported symptoms among all COVID-19 cases by week of onset	13
Figure 9. Reported risk factors among all COVID-19 cases	14
Demographics	14
Geography	15
Figure 10. Case rates per 100,000 population, by county	15
Sex	16
Table 1. Severity and rates of COVID-19 by sex	16
Figure 11. Recent COVID-19 cases by sex and week of onset	17
Figure 12. All COVID-19 cases by sex and week of onset	18
Age	19
Table 2. Severity and rates of COVID-19 by age	19
Figure 13. Recent COVID-19 cases by age and week of onset	20



Figure 14. All COVID-19 cases (counts) by age and week of onset	21
Figure 15. All COVID-19 cases (case rate per 100,000) by age and week of onset	22
Race	23
Table 3. Severity and rates of COVID-19 by race	23
Figure 16. Recent COVID-19 cases by race and week of onset	24
Figure 17. All COVID-19 cases (counts) by race and week of onset	25
Figure 18. All COVID-19 cases (case rates per 100,000) by race and week of onset	26
Ethnicity	26
Table 4. Severity and rates of COVID-19 by ethnicity	26
Figure 19. Recent COVID-19 cases by ethnicity and week of onset	27
Figure 20. All COVID-19 cases by ethnicity (counts) and week of onset	28
Figure 21. All COVID-19 cases by ethnicity (case rates per 100,000) and week of onset	29
Age-adjustment	29
Table 5. Ratio of age-adjusted rates for cases, hospitalizations, and deaths by race	29
Table 6. Ratio of age-adjusted rates for cases, hospitalizations, and deaths by ethnicity.	30
Follow-up	31
Figure 22. Follow up attempted within 24 hours, % by race	32
Figure 23. Follow up attempted within 24 hours, % by ethnicity	33
Figure 24. Cases interviewed, by race	34
Figure 25. Cases interviewed, by ethnicity	35
Recovery	36
Figure 26. Time to recovery among symptomatic people with COVID-19	36
People with Intellectual and Developmental Disabilities	37
Weekly COVID-19 Hospitalizations (HOSCAP)	37
Table 7. Hospitals reporting 10 or more COVID-19 patients	37
Table 8. Hospitals reporting 1–9 COVID-19 patients	39
ZIP code	41

Oregon's Weekly Surveillance Summary



Background

COVID-19 Weekly Report data will be finalized every Sunday at 11 p.m. PDT, and the report will be published on Wednesday. Please note that the data reported here are continually being updated. For daily up-to-date information, visit the OHA COVID-19 web page: https://govstatus.egov.com/OR-OHA-COVID-19.

As of 11 p.m. Sunday, September 5, there have been 288,505 cases of COVID-19 reported to the Oregon Health Authority. Of these, 9,682 (3.4%) are "presumptive" cases—i.e., people with COVID-19-like symptoms and close contact with a confirmed case, but who did not have a confirmatory laboratory test. Though not confirmed, presumptive cases are highly likely to have COVID-19, given their specific symptoms and known exposure. Presumptive cases are encouraged to seek testing to confirm that they do have COVID-19. Presumptive cases who test positive are recategorized as confirmed cases.

These data represent a snapshot of COVID-19 risk factors and clinical and demographic characteristics of cases, and they include data on cases with pending investigations. Not all cases have been interviewed at the time of this report. The data shown in this report come from Oregon's electronic disease surveillance system for reportable diseases.

During the week of August 29–September 4¹ 146,344 tests for COVID-19 were performed on Oregonians; of these, 11.1% had a positive result.² This figure represents a "test-based" method, whereby all electronic lab reports received by OHA are used to calculate percent positivity.³ Detailed tables of the number of tests and percent positivity can be found online at https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonHealth AuthorityCOVID-19DataDashboard/OregonsCOVID-19ELRsbyCounty.

¹ This date range aligns with CDC's "MMWR week."

² Does not include antibody (serology) tests.

³ www.cdc.gov/coronavirus/2019-ncov/lab/resources/calculating-percent-positivity.html

Oregon's Weekly Surveillance Summary



Errata: Previously posted versions of this weekly report had the incorrect number of total cases, weekly cases, presumptive cases, total hospitalizations, weekly hospitalizations, and weekly deaths. This version of the report corrects those errors and updates all figures and tables.

Weekly Report Summary

During Monday, August 30, through Sunday, September 5, 2021, OHA recorded 14,611 new cases of COVID-19 infection—a 10% decrease from the previous week and the first drop in case counts after 8 consecutive weeks of increases. Testing this week fell by 8.9%, and a lower percentage of tests were positive—11.1% compared with 12.4% the previous week. Since the summer surge began in early July, 80% of cases have been "sporadic"—that is, without known sources.

Despite the 10% drop in case counts, COVID-19 hospitalizations rose again this week—from 1,000 to 1,028—the 9th consecutive week of increases, and another record-high weekly figure for the pandemic. More COVID-19-associated deaths were also reported this week—171—up from 119 the previous week, the 6th consecutive weekly rise in the death toll. Over the past 9 weeks, 32% of COVID-19-associated deaths have been among persons ≥80 years of age, compared to 50% before then. Of the 288,505 cases reported in Oregon to date, 15,899 (5.5%) have been hospitalized, and 3,326 (1.1%) have died. Data on mortality in Oregon, including deaths associated with COVID-19, are available at

https://public.tableau.com/profile/oha.center.for.health.statistics.

Additional data are available at

https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonCOVID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicData.

Oregon's Weekly Surveillance Summary



Clinical Characteristics and risk factors

This section of the report describes the epidemiology of Oregon's COVID-19 cases, including indicators of COVID-19 transmission, common symptoms experienced by COVID-19 cases, and demographic breakdowns for sex, age, race, and ethnicity. Indicators of disease severity, specifically hospitalizations and deaths, are included in the tables.

Epidemiologic links

The figures below show the epidemiologic link of COVID-19 cases. Public health classifies all cases as part of a household, part of an outbreak, part of a cluster, a close contact of another case, or sporadic. Sporadic indicates that a case was not linked to a known source of COVID-19. Lower numbers of sporadic cases suggest lower community spread of COVID-19. Figure 1 focuses on recent cases of COVID-19, and allows for the easy comparison of different types of epidemiologic link. Figure 2 includes all COVID-19 cases, showing the pattern of epidemiologic links since the first cases were identified in Oregon. Figures 3 and 4 show sporadic cases by race, and figures 5 and 6 show sporadic cases by ethnicity. Looking at the data by race and ethnicity helps public health to identify disparities.

Epidemiologic link designations:

- Sporadic:⁴ Cases who do not have known exposure to another case or outbreak.
- Outbreak: Cases who have a shared, defined exposure with at least one other case. For example, a defined exposure could be an event, a workplace, a congregate facility, etc.
- Cluster: Cases who had contact with another case, but the exposure is not well defined. For example, cases from two households who interacted many times prior to illness onset.
- Household: Cases who were exposed to another case in their household.
- Close contact: Cases who were exposed to another case, not in their household. This designation was added on 7/15/2020.

⁴ Due to the lag between case reporting and case investigation, the proportion of cases categorized as sporadic is high in the most recent week or more; some of these cases will be recategorized after investigation is completed.



Figure 1. Epidemiologic link of recent COVID-19 cases by week of onset






Figure 2. Epidemiologic link of all COVID-19 cases by week of onset






Figure 3. Recent sporadic COVID-19 cases by race and week of onset






Figure 4. All sporadic COVD-19 cases by race and week of onset







Figure 5. Recent sporadic COVID-19 cases by ethnicity and week of onset



Oregon's Weekly Surveillance Summary



Hispanic Not Hispanic Unknown 6000 1000 -6000 5000 -750 -4000 -4000 -3000 -500 -2000 -2000 -250 -1000 -MaMayJulSepNovJarMaMayJul MaMayJulSepNovJanMaMayJul MaMayJuSepNovJanMaMayJul

Figure 6. All sporadic COVID-19 cases by ethnicity and week of onset

Clinical symptoms and reported risk factors

Figure 7 provides information on signs and symptoms from all COVID-19 cases. Of 288,505 cases, 158,325 (54.9%) reported having signs and symptoms of COVID-19. The most commonly reported symptoms are cough (n=91,742, 31.8%) and headache (n=75,000, 26%). Figure 8 provides information on the percentage of COVID-19 cases that report symptoms over time. Figure 9 provides information on risk factors from all COVID-19 cases. The most common risk factors are having contact with a known COVID-19 case prior to symptom onset (n=128,911, 44.7%) and having underlying medical conditions (n=173,400, 60.1%). Note that a person may report more than one sign/symptom or risk factor. Where displayed by week in this report, case data are categorized by week of reported symptom onset, not by date of case report. This results in reduced numbers in the most recent week or more due to reporting lags.



Figure 7. Reported signs and symptoms for all COVID-19 cases








Figure 8. Reported symptoms among all COVID-19 cases by week of onset



Oregon's Weekly Surveillance Summary



Figure 9. Reported risk factors among all COVID-19 cases



Risk factor definitions:

- Congregate living situations include, but are not limited to, long-term care facilities, group homes, prisons, and shelters. Data include people with confirmed cases who live or work in congregate living situations.
- Direct patient care is only asked if a case is a healthcare worker or volunteer. The denominator is the number of healthcare workers or volunteers.
- Underlying medical conditions include cardiovascular disease, chronic liver disease, chronic lung disease, chronic renal disease, current or former smoker, diabetes mellitus, immunocompromised condition, neurologic and neurodevelopmental conditions, obesity, or other chronic diseases.

Demographics

The following tables and figures show the demographic characteristics for all COVID-19 cases. The tables show case counts, case rates, and indicators of severity by sex, age, race and

Oregon's Weekly Surveillance Summary




ethnicity. The figures show cases over time, by week of onset, for sex, age, race, and ethnicity. Figure 10 displays case rates by county, in comparison to the case rate for all of Oregon.

Geography

The following figure shows case rates by county for the most recently completed MMWR week, which is currently August 29 to September 4, 2021. Cases are displayed using the date that the case became known to public health.

Figure 10. Case rates per 100,000 population, by county



Oregon's Weekly Surveillance Summary



- 1. Counties that had case rates above the case rate for the state are displayed in orange. Counties that had case rates below the case rate for the state are displayed in blue.
- 2. Counties that had zero cases in the time period displayed appear on the list, but do not have a bar to display.

Sex

Table 1. Severity and rates of COVID-19 by sex

Sex	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths	Case fatality
Female	146,101	50.6	6,754.8	7,484	5.1	1,518	1.0
Male	138,211	47.9	6,565.4	8,299	6.0	1,796	1.3
Non-Binary	31	0.0		0	0.0	0	0.0
Not Available	4,162	1.4		116	2.8	12	0.3
Total	288,505	100.0	6,759.6	15,899	5.5	3,326	1.2

1. Rates are calculated using population estimates from the 2020 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2019 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).




Figure 11. Recent COVID-19 cases by sex and week of onset





Figure 12. All COVID-19 cases by sex and week of onset



Oregon's Weekly Surveillance Summary



Age

Table 2. Severity and rates of COVID-19 by age

Age group	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths	Case fatality
0-9	17,592	6.1	3,751.8	191	1.1	1	0.0
10-19	31,762	11.0	6,294.1	271	0.9	3	0.0
20-29	59,361	20.6	10,779.3	969	1.6	17	0.0
30-39	51,109	17.7	8,622.1	1,315	2.6	35	0.1
40-49	43,610	15.1	8,082.6	1,735	4.0	97	0.2
50-59	36,314	12.6	6,802.6	2,549	7.0	253	0.7
60-69	24,991	8.7	4,563.0	3,168	12.7	541	2.2
70-79	14,247	4.9	4,049.1	3,037	21.3	805	5.7
80+	9,067	3.1	5,090.0	2,659	29.3	1,574	17.4
Not Available	452	0.2		5	1.1	0	0.0
Total	288,505	100.0	6,759.6	15,899	5.5	3,326	1.2

^{1.} Rates are calculated using population estimates from the 2020 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2019 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).



Figure 13. Recent COVID-19 cases by age and week of onset






Figure 14. All COVID-19 cases (counts) by age and week of onset







Figure 15. All COVID-19 cases (case rate per 100,000) by age and week of onset



Oregon's Weekly Surveillance Summary



Race

Table 3. Severity and rates of COVID-19 by race

Race	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths	Case fatality
> 1 race	4,578	1.6	2,233.3	250	5.5	49	1.1
American Indian/Alaska Native	4,959	1.7	9,984.1	367	7.4	66	1.3
Asian	7,101	2.5	3,805.0	422	5.9	69	1.0
Black	6,981	2.4	8,585.4	536	7.7	63	0.9
Not Available	60,545	21.0		1,682	2.8	527	0.9
Other	48,254	16.7		2,295	4.8	246	0.5
Pacific Islander	1,975	0.7	11,494.9	189	9.6	23	1.2
White	154,112	53.4	4,283.9	10,158	6.6	2,283	1.5
Total	288,505	100.0	6,759.6	15,899	5.5	3,326	1.2

- 1. During the case investigation, people are asked to self-report their race, ethnicity, tribal affiliation, country of origin, or ancestry.
- 2. Rates are calculated using population estimates from the 2020 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2019 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).
- 3. Persons for which race information was not available were not included in these estimates. The number of persons with race data unavailable can be found in Table 3.
- 4. 40,622 (84.2%) of the 48,255 persons who identify as "Other" race also self-identify as Hispanic or Latino.



Figure 16. Recent COVID-19 cases by race and week of onset








Figure 17. All COVID-19 cases (counts) by race and week of onset



Oregon's Weekly Surveillance Summary



Figure 18. All COVID-19 cases (case rates per 100,000) by race and week of onset



Ethnicity

Table 4. Severity and rates of COVID-19 by ethnicity

Ethnicity	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths	Case fatality rate
Hispanic	55,435	19.2	9,991.0	2,479	4.5	248	0.4
Not Hispanic	151,223	52.4	4,072.6	10,022	6.6	2,135	1.4
Unknown	81,847	28.4		3,398	4.2	943	1.2
Total	288,505	100.0	6,759.6	15,899	5.5	3,326	1.2

Oregon's Weekly Surveillance Summary



1. Rates are calculated using population estimates from the 2020 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2019 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).

Figure 19. Recent COVID-19 cases by ethnicity and week of onset








Figure 20. All COVID-19 cases by ethnicity (counts) and week of onset



Oregon's Weekly Surveillance Summary



Figure 21. All COVID-19 cases by ethnicity (case rates per 100,000) and week of onset



Age-adjustment

Tables 5 and 6 show the ratio of age-adjusted rates of COVID-19 for cases, hospitalizations, and deaths by race and ethnicity. Each table compares the rates of cases, hospitalizations, and deaths between each group and a reference group and accounts for differences in population distributions in each group.

Table 5. Ratio of age-adjusted rates for cases, hospitalizations, and deaths by race

Age-adjusted rate ratios of cases, hospitalizations, and deaths, compared to white persons

Oregon's Weekly Surveillance Summary



Race	Cases	Hospitalization s	Deaths
> 1 race	0.6	0.9	1.2
American Indian/Alaska Native	2.3	3.2	3.3
Asian	0.9	1.0	1.0
Black	1.9	3.2	2.4
Pacific Islander	2.7	6.7	6.6
White	1.0	1.0	1.0

- 1. During the case investigation, people are asked to self-report their race, ethnicity, tribal affiliation, country of origin, or ancestry.
- 2. U.S. Census Bureau; American Community Survey, 2019 American Community Survey 5-Year Estimates.
- 3. Persons for which race information was not available were not included in these estimates. The number of persons with race data unavailable can be found in Table 3.

Table 6. Ratio of age-adjusted rates for cases, hospitalizations, and deaths by ethnicity

Age-adjusted rate ratios of cases, hospitalizations, and deaths, compared to non-Hispanic

Ethnicity	Cases	Hospitalization s	Deaths
Hispanic	2.2	2.9	2.5
Non-Hispanic	1.0	1.0	1.0

1. During the case investigation, people are asked to self-report their race, ethnicity, tribal affiliation, country of origin, or ancestry.

Oregon's Weekly Surveillance Summary



- 2. U.S. Census Bureau; American Community Survey, 2019 American Community Survey 5-Year Estimates.
- 3. Persons for which ethnicity information was not available were not included in these estimates. The number of persons with ethnicity data unavailable can be found in Table 4.

Follow-up

Figure 22 shows the percentage of cases that were called within 24 hours of being reported to public health by race. Figure 23 shows the percentage of cases that were called within 24 hours of being reported to public health by ethnicity. Figure 24 shows the percentage of cases that were interviewed, by race. Figure 25 shows the percentage of cases that were interviewed, by ethnicity. Race and ethnicity data are collected when cases are interviewed. Race and ethnicity data for cases that were not interviewed are abstracted from laboratory reports and medical records if it is available. The orange line in figures 22 and 23 represents the state metric for timely follow up for all cases: 95%.



Figure 22. Follow up attempted within 24 hours, % by race






Figure 23. Follow up attempted within 24 hours, % by ethnicity






Figure 24. Cases interviewed, by race







Figure 25. Cases interviewed, by ethnicity




Oregon's Weekly Surveillance Summary



Recovery

OHA staff periodically call people with reported COVID-19 who experienced fever, cough, shortness of breath or diarrhea and were initially interviewed before May 1, 2020, when OHA changed its definition of recovery, to inquire about resolution of symptoms. This group includes 1,884 people who were all diagnosed before mid-April and have not succumbed to their illness. Among these, 1,682 (88.8%) are considered to have recovered, and a recovery date is available for 1,387 people; their time to recovery is depicted in Figure 26. Of these 1,884 people, 16 (0.8%), have not yet recovered; and recovery status is not available for 186 (9.8%). People are assumed to have recovered three days after resolution of all symptoms. The median time to recovery among non-hospitalized symptomatic cases is 20 days (interquartile range: 15–29 days); among symptomatic cases who were hospitalized it is 26 days (interquartile range: 18–37 days).

Figure 26. Time to recovery among symptomatic people with COVID-19



Notes about recovery data:

- Recovery definition: three days after reported resolution of diarrhea, cough, shortness of breath and fever.
- Inclusion criteria: cases who were interviewed about their date of recovery before a change in recovery definition on May 1, 2020.
- Data for 1,387 cases are included.
- This was last updated on September 16, 2020; Data will be updated again as new information is available.

Oregon's Weekly Surveillance Summary



People with Intellectual and Developmental Disabilities

As of June 2, 2021 OHA is aware of 945 people with intellectual or developmental disabilities who have had COVID-19 to date. This includes individuals who live in congregate settings and in family or individual homes. To date, there are 27 deaths associated with people with intellectual or developmental disabilities. This number is from conducting a match between the ODHS Office of Developmental Disabilities Services client list and the Oregon COVID-19 case database. OHA will update this number on a quarterly basis.

Additional information about the ODDS program and COVID-19 can be found here: https://www.oregon.gov/dhs/SENIORS-DISABILITIES/DD/ODDS%20Resource%20Library/ODDS-Residential-COVID-19-Report.pdf

ODDS data is based on self-reports from providers and case management entities and therefore may differ from testing data received from the Oregon Health Authority.

Weekly COVID-19 Hospitalizations (HOSCAP)

OHA is publishing data on the number of COVID-19 hospitalizations by hospital in the prior week; data are from HOSCAP. Table 7 lists all hospitals which, at some time during the week reported, had 10 or more COVID-19 patients. The left column shows the highest number of COVID-19 hospitalized patients for each hospital between 08/30/2021 and 09/05/2021. The right column shows the highest number of COVID-19 patients hospitalized during the same time period.

Table 7. Hospitals reporting 10 or more COVID-19 patients.

Hospital	Maximum Patients (both suspected and confirmed)	Maximum Patients (confirmed only)
Salem Health Hospital	110	108
PeaceHealth Sacred Heart MC at Riverbend	102	100
St. Charles Bend	95	89



Hospital	Maximum Patients (both suspected and confirmed)	Maximum Patients (confirmed only)
Mercy Medical Center	89	78
Asante Rogue Regional Medical Center	88	88
Asante Three Rivers Medical Center	73	73
Providence St. Vincent Medical Center	68	70
Providence Portland Medical Center	56	55
Providence Medford Medical Center	47	47
OHSU Hospital	45	45
Kaiser Permanente Sunnyside Medical Center	45	42
McKenzie-Willamette Medical Center	43	43
VA Portland Health Care System	31	30
Kaiser Permanente Westside Medical Center	30	30
Adventist Health Portland	29	29
Hillsboro Medical Center	29	25
Legacy Emanuel Medical Center	27	27
Good Samaritan Regional Medical Center	24	24
Legacy Meridian Park Hospital	23	23
Sky Lakes Medical Center	23	21
Asante Ashland Community Hospital	22	22

Oregon's Weekly Surveillance Summary



Hospital	Maximum Patients (both suspected and confirmed)	Maximum Patients (confirmed only)
Legacy Good Samaritan Medical Center	21	20
Bay Area Hospital	20	20
Legacy Mount Hood Medical Center	17	16
Willamette Valley Medical Center	14	14
Providence Newberg Medical Center	13	13
Good Shepherd Health Care System	12	12
Providence Willamette Falls Medical Center	12	12
Mid-Columbia Medical Center	12	<10
Samaritan Lebanon Community Hospital	11	12
Adventist Health Tillamook	11	11
Samaritan Albany General Hospital	11	11

The hospitals listed in Table 8 reported 1–9 COVID-19 patients 08/30/2021 through 09/05/2021. Hospitals not listed in either table did not report any COVID-19 patients during the week.

Table 8. Hospitals reporting 1–9 COVID-19 patients.

Hospital	
Blue Mountain Hospital	
Columbia Memorial Hospital	



Hospital
Coquille Valley Hospital
Curry General Hospital
Grande Ronde Hospital
Harney District Hospital
Lake District Hospital
Legacy Silverton Medical Center
Lower Umpqua Hospital
OHSU Doernbecher Children's Hospital
Providence Hood River Memorial Hospital
Providence Milwaukie Hospital
Providence Seaside Hospital
Randall Children's Hospital at Legacy Emanuel
Samaritan North Lincoln Hospital
Samaritan Pacific Communities Hospital
Santiam Hospital
Southern Coos Hospital and Health Center
St. Alphonsus Medical Center - Ontario
St. Anthony Hospital
St. Charles Prineville
St. Charles Redmond

Oregon's Weekly Surveillance Summary



ZIP code

OHA is publishing data on cases at the ZIP code level, available online at:

https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonCOVID-19CasesbyZIPCode/OregonsCOVID-19CasesbyZipCode?publish=yes

Summary table of all zip codes available here:

https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonCOVID-19CasesbyZIPCode-SummaryTable/CasesbyZIPCodeSummaryTable?publish=yes

Document accessibility: For individuals with disabilities or individuals who speak a language other than English, OHA can provide information in alternate formats such as translations, large print, or braille. Contact the Health Information Center at 1-971-673-2411, 711 TTY or COVID19.LanguageAccess@dhsoha.state.or.us.