

COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Weekly Data Report - October 13, 2021

Table of Contents

Background	3
Weekly Report Summary	4
Clinical Characteristics and risk factors	5
Epidemiologic links	5
Figure 1. Epidemiologic link of recent COVID-19 cases by week of onset	6
Figure 2. Epidemiologic link of all COVID-19 cases by week of onset	7
Figure 3. Recent sporadic COVID-19 cases by race and week of onset.....	8
Figure 4. All sporadic COVID-19 cases by race and week of onset.....	9
Figure 5. Recent sporadic COVID-19 cases by ethnicity and week of onset	10
Figure 6. All sporadic COVID-19 cases by ethnicity and week of onset.....	11
Clinical symptoms and reported risk factors	11
Figure 7. Reported signs and symptoms for all COVID-19 cases	12
Figure 8. Reported symptoms among all COVID-19 cases by week of onset	13
Figure 9. Reported risk factors among all COVID-19 cases.....	14
Demographics	14
Geography.....	15
Figure 10. Case rates per 100,000 population, by county	16
Sex	17
Table 1. Severity and rates of COVID-19 by sex.....	17
Figure 11. Recent COVID-19 cases by sex and week of onset	18
Figure 12. All COVID-19 cases by sex and week of onset	19
Age	20
Table 2. Severity and rates of COVID-19 by age	20
Figure 13. Recent COVID-19 cases by age and week of onset.....	21

COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Figure 14. All COVID-19 cases (counts) by age and week of onset	22
Figure 15. All COVID-19 cases (case rate per 100,000) by age and week of onset	23
Race	24
Table 3. Severity and rates of COVID-19 by race	24
Figure 16. Recent COVID-19 cases by race and week of onset	25
Figure 17. All COVID-19 cases (counts) by race and week of onset	26
Figure 18. All COVID-19 cases (case rates per 100,000) by race and week of onset	27
Ethnicity	27
Table 4. Severity and rates of COVID-19 by ethnicity.....	27
Figure 19. Recent COVID-19 cases by ethnicity and week of onset	28
Figure 20. All COVID-19 cases by ethnicity (counts) and week of onset	29
Figure 21. All COVID-19 cases by ethnicity (case rates per 100,000) and week of onset	30
Age-adjustment	30
Table 5. Ratio of age-adjusted rates for cases, hospitalizations, and deaths by race.....	30
Table 6. Ratio of age-adjusted rates for cases, hospitalizations, and deaths by ethnicity...	31
Follow-up	32
Figure 22. Follow up attempted within 24 hours, % by race.....	32
Figure 23. Follow up attempted within 24 hours, % by ethnicity	33
Figure 24. Cases interviewed, by race	34
Figure 25. Cases interviewed, by ethnicity	35
Recovery.....	36
Figure 26. Time to recovery among symptomatic people with COVID-19	36
People with Intellectual and Developmental Disabilities	37
Weekly COVID-19 Hospitalizations (HOSCAP)	37
Table 7. Hospitals reporting 10 or more COVID-19 patients.....	37
Table 8. Hospitals reporting 1–9 COVID-19 patients.....	39
ZIP code.....	41

COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Background

COVID-19 Weekly Report data will be finalized every Sunday at 11 p.m. PDT, and the report will be published on Wednesday. Please note that the data reported here are continually being updated. For daily up-to-date information, visit the OHA COVID-19 web page:

<https://govstatus.egov.com/OR-OHA-COVID-19>.

As of 11 p.m. Sunday, October 10, there have been 343,991 cases of COVID-19 reported to the Oregon Health Authority. Of these, 11,278 (3.3%) are “presumptive” cases—i.e., people with COVID-19-like symptoms and close contact with a confirmed case, but who did not have a confirmatory laboratory test. Though not confirmed, presumptive cases are highly likely to have COVID-19, given their specific symptoms and known exposure. Presumptive cases are encouraged to seek testing to confirm that they do have COVID-19. Presumptive cases who test positive are recategorized as confirmed cases.

These data represent a snapshot of COVID-19 risk factors and clinical and demographic characteristics of cases, and they include data on cases with pending investigations. Not all cases have been interviewed at the time of this report. The data shown in this report come from Oregon’s electronic disease surveillance system for reportable diseases.

During the week of October 3–October 9¹ 141,863 tests for COVID-19 were performed on Oregonians; of these, 8.1% had a positive result.² This figure represents a “test-based” method, whereby all electronic lab reports received by OHA are used to calculate percent positivity.³

Detailed tables of the number of tests and percent positivity can be found online at <https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonHealthAuthorityCOVID-19DataDashboard/OregonsCOVID-19ELRsbyCounty>.

¹ This date range aligns with CDC’s “MMWR week.”

² Does not include antibody (serology) tests.

³ www.cdc.gov/coronavirus/2019-ncov/lab/resources/calculating-percent-positivity.html

COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Weekly Report Summary

During Monday, October 4, through Sunday, October 10, 2021, OHA recorded 9,022 new cases of COVID-19 infection—1,378 (13%) fewer than previous week's tally and the sixth consecutive week of declining case counts. Testing fell by 6.3%, and test positivity fell from 8.8% to 8.1%—the lowest figure since the week of July 19–25. The overall incidence of reported COVID-19 in Oregon was 196 per 100,000 this week, and higher in counties with population vaccination rates <50% (collectively, 362 per 100,000) and 50%–60% (259 per 100,000). Counties with vaccination rates >60% had a collective COVID-19 incidence of 145 per 100,000.

Four hundred sixteen new COVID-19-associated hospitalizations were reported this week—46 (10%) fewer than last week, and the fifth consecutive week of declines. The recent increase in the proportion of reported cases among persons <20 years of age has not been accompanied by a commensurate increase in COVID-19-associated hospitalizations: through September 4, 2.9% of hospitalizations were among persons <20, and since that date the figure has been 3.1%.

One hundred seventy-nine COVID-19-associated deaths were reported last week—the highest death toll since the week of January 11–17, 2021. Of the 343,991 cases reported in Oregon to date, 18,460 (5.4%) have been hospitalized, and 4,002 (1.2%) have died. Data on mortality in Oregon, including deaths associated with COVID-19, are available at <https://public.tableau.com/profile/oha.center.for.health.statistics>.

Additional data are available at

<https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonCOVID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicData>.

COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Clinical Characteristics and risk factors

This section of the report describes the epidemiology of Oregon's COVID-19 cases, including indicators of COVID-19 transmission, common symptoms experienced by COVID-19 cases, and demographic breakdowns for sex, age, race, and ethnicity. Indicators of disease severity, specifically hospitalizations and deaths, are included in the tables.

Epidemiologic links

The figures below show the epidemiologic link of COVID-19 cases. Public health classifies all cases as part of a household, part of an outbreak, part of a cluster, a close contact of another case, or sporadic. Sporadic indicates that a case was not linked to a known source of COVID-19. Lower numbers of sporadic cases suggest lower community spread of COVID-19. Figure 1 focuses on recent cases of COVID-19, and allows for the easy comparison of different types of epidemiologic link. Figure 2 includes all COVID-19 cases, showing the pattern of epidemiologic links since the first cases were identified in Oregon. Figures 3 and 4 show sporadic cases by race, and figures 5 and 6 show sporadic cases by ethnicity. Looking at the data by race and ethnicity helps public health to identify disparities.

Epidemiologic link designations:

- Sporadic:⁴ Cases who do not have known exposure to another case or outbreak.
- Outbreak: Cases who have a shared, defined exposure with at least one other case. For example, a defined exposure could be an event, a workplace, a congregate facility, etc.
- Cluster: Cases who had contact with another case, but the exposure is not well defined. For example, cases from two households who interacted many times prior to illness onset.
- Household: Cases who were exposed to another case in their household.
- Close contact: Cases who were exposed to another case, not in their household. This designation was added on 7/15/2020.

⁴ Due to the lag between case reporting and case investigation, the proportion of cases categorized as sporadic is high in the most recent week or more; some of these cases will be recategorized after investigation is completed.

COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Figure 1. Epidemiologic link of recent COVID-19 cases by week of onset




COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Figure 2. Epidemiologic link of all COVID-19 cases by week of onset




COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Figure 3. Recent sporadic COVID-19 cases by race and week of onset




COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Figure 4. All sporadic COVID-19 cases by race and week of onset




COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Figure 5. Recent sporadic COVID-19 cases by ethnicity and week of onset




COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Figure 6. All sporadic COVID-19 cases by ethnicity and week of onset



Clinical symptoms and reported risk factors


Figure 7 provides information on signs and symptoms from all COVID-19 cases. Of 343,991 cases, 178,944 (52%) reported having signs and symptoms of COVID-19. The most commonly reported symptoms are cough (n=100,751, 29.3%) and headache (n=81,430, 23.7%). Figure 8 provides information on the percentage of COVID-19 cases that report symptoms over time. Figure 9 provides information on risk factors from all COVID-19 cases. The most common risk factors are having contact with a known COVID-19 case prior to symptom onset (n=142,032, 41.3%) and having underlying medical conditions (n=214,757, 62.4%). Note that a person may report more than one sign/symptom or risk factor. Where displayed by week in this report, case data are categorized by week of reported symptom onset, not by date of case report. This results in reduced numbers in the most recent week or more due to reporting lags.

COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Figure 7. Reported signs and symptoms for all COVID-19 cases




COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Figure 8. Reported symptoms among all COVID-19 cases by week of onset




COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Figure 9. Reported risk factors among all COVID-19 cases



Risk factor definitions:

- Congregate living situations include, but are not limited to, long-term care facilities, group homes, prisons, and shelters. Data include people with confirmed cases who live or work in congregate living situations.
- Direct patient care is only asked if a case is a healthcare worker or volunteer. The denominator is the number of healthcare workers or volunteers.
- Underlying medical conditions include cardiovascular disease, chronic liver disease, chronic lung disease, chronic renal disease, current or former smoker, diabetes mellitus, immunocompromised condition, neurologic and neurodevelopmental conditions, obesity, or other chronic diseases.

Demographics

The following tables and figures show the demographic characteristics for all COVID-19 cases. The tables show case counts, case rates, and indicators of severity by sex, age, race and

COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



ethnicity. The figures show cases over time, by week of onset, for sex, age, race, and ethnicity. Figure 10 displays case rates by county, in comparison to the case rate for all of Oregon.

Geography


The following figure shows case rates by county for the most recently completed MMWR week, which is currently October 3 to October 9, 2021. Cases are displayed using the date that the case became known to public health.

COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Figure 10. Case rates per 100,000 population, by county



1. Counties that had case rates above the case rate for the state are displayed in orange. Counties that had case rates below the case rate for the state are displayed in blue.
2. Counties that had zero cases in the time period displayed appear on the list, but do not have a bar to display.

COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Sex

Table 1. Severity and rates of COVID-19 by sex

Sex	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths	Case fatality
Female	173,950	50.6	8,042.3	8,704	5.0	1,811	1.0
Male	164,105	47.7	7,795.5	9,620	5.9	2,176	1.3
Non-Binary	33	0.0		0	0.0	0	0.0
Not Available	5,903	1.7		136	2.3	15	0.3
Total	343,991	100.0	8,059.7	18,460	5.4	4,002	1.2


1. Rates are calculated using population estimates from the 2020 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2019 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).

COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Figure 11. Recent COVID-19 cases by sex and week of onset




COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Figure 12. All COVID-19 cases by sex and week of onset



COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Age

Table 2. Severity and rates of COVID-19 by age

Age group	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths	Case fatality
0-9	23,665	6.9	5,046.9	230	1.0	2	0.0
10-19	38,841	11.3	7,696.9	311	0.8	3	0.0
20-29	68,247	19.8	12,392.9	1,115	1.6	22	0.0
30-39	60,490	17.6	10,204.6	1,520	2.5	52	0.1
40-49	51,418	14.9	9,529.7	2,019	3.9	145	0.3
50-59	42,649	12.4	7,989.3	2,959	6.9	335	0.8
60-69	30,022	8.7	5,481.5	3,714	12.4	691	2.3
70-79	17,394	5.1	4,943.5	3,543	20.4	966	5.6
80+	10,684	3.1	5,997.7	3,044	28.5	1,786	16.7
Not Available	581	0.2		5	0.9	0	0.0
Total	343,991	100.0	8,059.7	18,460	5.4	4,002	1.2


1. Rates are calculated using population estimates from the 2020 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2019 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).

COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Figure 13. Recent COVID-19 cases by age and week of onset




COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Figure 14. All COVID-19 cases (counts) by age and week of onset




COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Figure 15. All COVID-19 cases (case rate per 100,000) by age and week of onset



COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Race

Table 3. Severity and rates of COVID-19 by race

Race	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths	Case fatality
> 1 race	5,061	1.5	2,468.9	278	5.5	59	1.2
American Indian/Alaska Native	5,724	1.7	11,524.3	405	7.1	72	1.3
Asian	7,868	2.3	4,215.9	464	5.9	77	1.0
Black	7,907	2.3	9,724.2	602	7.6	69	0.9
Not Available	78,944	22.9		2,124	2.7	671	0.8
Other	52,483	15.3		2,475	4.7	293	0.6
Pacific Islander	2,123	0.6	12,356.3	202	9.5	23	1.1
White	183,881	53.5	5,111.4	11,910	6.5	2,738	1.5
Total	343,991	100.0	8,059.7	18,460	5.4	4,002	1.2

1. During the case investigation, people are asked to self-report their race, ethnicity, tribal affiliation, country of origin, or ancestry.
2. Rates are calculated using population estimates from the 2020 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2019 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).
3. Persons for which race information was not available were not included in these estimates. The number of persons with race data unavailable can be found in Table 3.
4. 42,423 (80.8%) of the 52,483 persons who identify as "Other" race also self-identify as Hispanic or Latino.

OHA 2395 (10/13/21)


Data are provisional and subject to change.

COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Figure 16. Recent COVID-19 cases by race and week of onset




COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Figure 17. All COVID-19 cases (counts) by race and week of onset




COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Figure 18. All COVID-19 cases (case rates per 100,000) by race and week of onset



Ethnicity

Table 4. Severity and rates of COVID-19 by ethnicity

Ethnicity	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths	Case fatality rate
Hispanic	59,875	17.4	10,791.3	2,635	4.4	283	0.5
Not Hispanic	174,416	50.7	4,697.2	11,522	6.6	2,517	1.4
Unknown	109,700	31.9		4,303	3.9	1,202	1.1
Total	343,991	100.0	8,059.7	18,460	5.4	4,002	1.2

OHA 2395 (10/13/21)

Data are provisional and subject to change.


COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



1. Rates are calculated using population estimates from the 2020 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2019 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).

Figure 19. Recent COVID-19 cases by ethnicity and week of onset




COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Figure 20. All COVID-19 cases by ethnicity (counts) and week of onset




COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Figure 21. All COVID-19 cases by ethnicity (case rates per 100,000) and week of onset



Age-adjustment

Tables 5 and 6 show the ratio of age-adjusted rates of COVID-19 for cases, hospitalizations, and deaths by race and ethnicity. Each table compares the rates of cases, hospitalizations, and deaths between each group and a reference group and accounts for differences in population distributions in each group.

Table 5. Ratio of age-adjusted rates for cases, hospitalizations, and deaths by race

Age-adjusted rate ratios of cases, hospitalizations, and deaths, compared to white persons

COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Race	Cases	Hospitalizations	Deaths
> 1 race	0.5	0.9	1.2
American Indian/Alaska Native	2.2	3.0	3.0
Asian	0.8	1.0	0.9
Black	1.8	3.1	2.2
Pacific Islander	2.4	6.2	5.5
White	1.0	1.0	1.0

1. During the case investigation, people are asked to self-report their race, ethnicity, tribal affiliation, country of origin, or ancestry.
2. U.S. Census Bureau; American Community Survey, 2019 American Community Survey 5-Year Estimates.
3. Persons for which race information was not available were not included in these estimates. The number of persons with race data unavailable can be found in Table 3.

Table 6. Ratio of age-adjusted rates for cases, hospitalizations, and deaths by ethnicity

Age-adjusted rate ratios of cases, hospitalizations, and deaths, compared to non-Hispanic

Ethnicity	Cases	Hospitalizations	Deaths
Hispanic	2.1	2.7	2.3
Non-Hispanic	1.0	1.0	1.0

1. During the case investigation, people are asked to self-report their race, ethnicity, tribal affiliation, country of origin, or ancestry.
2. U.S. Census Bureau; American Community Survey, 2019 American Community Survey 5-Year Estimates.

COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary




- Persons for which ethnicity information was not available were not included in these estimates. The number of persons with ethnicity data unavailable can be found in Table 4.

Follow-up

Figure 22 shows the percentage of cases that were called within 24 hours of being reported to public health by race. Figure 23 shows the percentage of cases that were called within 24 hours of being reported to public health by ethnicity. Figure 24 shows the percentage of cases that were interviewed, by race. Figure 25 shows the percentage of cases that were interviewed, by ethnicity. Race and ethnicity data are collected when cases are interviewed. Race and ethnicity data for cases that were not interviewed are abstracted from laboratory reports and medical records if it is available. The orange line in figures 22 and 23 represents the state metric for timely follow up for all cases: 95%.

Figure 22. Follow up attempted within 24 hours, % by race




COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Figure 23. Follow up attempted within 24 hours, % by ethnicity




COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Figure 24. Cases interviewed, by race




COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Figure 25. Cases interviewed, by ethnicity



COVID-19 Weekly Report


Oregon's Weekly Surveillance Summary



Recovery

OHA staff periodically call people with reported COVID-19 who experienced fever, cough, shortness of breath or diarrhea and were initially interviewed before May 1, 2020, when OHA changed its definition of recovery, to inquire about resolution of symptoms. This group includes 1,884 people who were all diagnosed before mid-April and have not succumbed to their illness. Among these, 1,682 (88.8%) are considered to have recovered, and a recovery date is available for 1,387 people; their time to recovery is depicted in Figure 26. Of these 1,884 people, 16 (0.8%), have not yet recovered; and recovery status is not available for 186 (9.8%). People are assumed to have recovered three days after resolution of all symptoms. The median time to recovery among non-hospitalized symptomatic cases is 20 days (interquartile range: 15–29 days); among symptomatic cases who were hospitalized it is 26 days (interquartile range: 18–37 days).

Figure 26. Time to recovery among symptomatic people with COVID-19



Notes about recovery data:

- Recovery definition: three days after reported resolution of diarrhea, cough, shortness of breath and fever.
- Inclusion criteria: cases who were interviewed about their date of recovery before a change in recovery definition on May 1, 2020.
- Data for 1,387 cases are included.
- This was last updated on September 16, 2020; Data will be updated again as new information is available.

OHA 2395 (10/13/21)

Data are provisional and subject to change.

COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



People with Intellectual and Developmental Disabilities

As of September 26, 2021 OHA is aware of 1,407 people with intellectual or developmental disabilities who have had COVID-19 to date. This includes individuals who live in congregate settings and in family or individual homes. To date, there are 41 deaths among people with intellectual or developmental disabilities. This number is from conducting a match between the ODHS Office of Developmental Disabilities Services client list and the Oregon COVID-19 case database. OHA will update this number on a quarterly basis.

Additional information about the ODDS program and COVID-19 can be found here:

<https://www.oregon.gov/dhs/SENIORS-DISABILITIES/DD/ODDS%20Resource%20Library/ODDS-Residential-COVID-19-Report.pdf>

ODDS data is based on self-reports from providers and case management entities and therefore may differ from testing data received from the Oregon Health Authority.

Weekly COVID-19 Hospitalizations (HOSCAP)

OHA is publishing data on the number of COVID-19 hospitalizations by hospital in the prior week; data are from HOSCAP. Table 7 lists all hospitals which, at some time during the week reported, had 10 or more COVID-19 patients. The left column shows the highest number of COVID-19 hospitalized patients for each hospital between 10/04/2021 and 10/10/2021. The right column shows the highest number of COVID-19 patients hospitalized during the same time period.

Table 7. Hospitals reporting 10 or more COVID-19 patients.

Hospital	Maximum Patients (both suspected and confirmed)	Maximum Patients (confirmed only)
St. Charles Bend	90	84
Salem Health Hospital	86	85
PeaceHealth Sacred Heart MC at Riverbend	44	44

COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Hospital	Maximum Patients (both suspected and confirmed)	Maximum Patients (confirmed only)
Providence Portland Medical Center	40	40
Kaiser Permanente Sunnyside Medical Center	39	39
Providence St. Vincent Medical Center	39	39
Asante Rogue Regional Medical Center	36	36
Sky Lakes Medical Center	29	29
Adventist Health Portland	25	24
OHSU Hospital	25	24
Legacy Emanuel Medical Center	24	23
Asante Three Rivers Medical Center	23	23
McKenzie-Willamette Medical Center	22	22
Mercy Medical Center	21	21
VA Portland Health Care System	19	19
Good Samaritan Regional Medical Center	19	18
Bay Area Hospital	16	16
Kaiser Permanente Westside Medical Center	16	16
Legacy Good Samaritan Medical Center	16	16
Providence Medford Medical Center	16	16

COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Hospital	Maximum Patients (both suspected and confirmed)	Maximum Patients (confirmed only)
Hillsboro Medical Center	16	15
Legacy Mount Hood Medical Center	14	14
Providence Willamette Falls Medical Center	14	14
Samaritan Lebanon Community Hospital	14	14
Legacy Meridian Park Hospital	12	12
Grande Ronde Hospital	11	11
St. Anthony Hospital	11	11
St. Alphonsus Medical Center - Ontario	10	10

The hospitals listed in Table 8 reported 1–9 COVID-19 patients 10/04/2021 through 10/10/2021. Hospitals not listed in either table did not report any COVID-19 patients during the week.

Table 8. Hospitals reporting 1–9 COVID-19 patients.

Hospital
Asante Ashland Community Hospital
Columbia Memorial Hospital
Coquille Valley Hospital
Curry General Hospital
Good Shepherd Health Care System
Harney District Hospital

COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Hospital
Lake District Hospital
Legacy Silverton Medical Center
Mid-Columbia Medical Center
OHSU Doernbecher Children's Hospital
Providence Hood River Memorial Hospital
Providence Milwaukie Hospital
Providence Newberg Medical Center
Providence Seaside Hospital
Randall Children's Hospital at Legacy Emanuel
Samaritan Albany General Hospital
Samaritan North Lincoln Hospital
Samaritan Pacific Communities Hospital
Santiam Hospital
Shriners Hospital for Children
Southern Coos Hospital and Health Center
St. Alphonsus Medical Center - Baker City
St. Charles Madras
St. Charles Prineville
St. Charles Redmond

COVID-19 Weekly Report

Oregon's Weekly Surveillance Summary



Hospital
Wallowa Memorial Hospital
Willamette Valley Medical Center

ZIP code

OHA is publishing data on cases at the ZIP code level, available online at:

<https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonCOVID-19CasesbyZIPCode/OregonsCOVID-19CasesbyZipCode?publish=yes>

Summary table of all zip codes available here:

<https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonCOVID-19CasesbyZIPCode-SummaryTable/CasesbyZIPCodeSummaryTable?publish=yes>

Document accessibility: For individuals with disabilities or individuals who speak a language other than English, OHA can provide information in alternate formats such as translations, large print, or braille. Contact the Health Information Center at 1-971-673-2411, 711 TTY or COVID19.LanguageAccess@dhsosha.state.or.us.