**ADDRESSES:** Submit your comments, identified by docket identification ID number EPA-HQ-OPPT-2019-0684, by one of the following methods:

- Federal eRulemaking Portal: http://www.regulations.gov. Follow the online instructions for submitting comments. Do not submit electronically any information you consider to be Confidential Business Information (CBI) or other information whose disclosure is restricted by statute.
- Mail: Document Control Office (7407M), Office of Pollution Prevention and Toxics (OPPT), Environmental Protection Agency, 1200 Pennsylvania Ave. NW, Washington, DC 20460–0001.
- Hand Delivery: To make special arrangements for hand delivery or delivery of boxed information, please follow the instructions at http://www.epa.gov/dockets/contacts.html.

Additional instructions on commenting or visiting the docket, along with more information about dockets generally is available at http://www.epa.gov/dockets.

#### FOR FURTHER INFORMATION CONTACT:

For technical information contact: Ryan Schmit, Office of Pollution Prevention and Toxics (7101M), Environmental Protection Agency, 1200 Pennsylvania Ave. NW, Washington, DC 20460–0001; telephone number: (202) 564–0610; email address: schmit.ryan@ epa.gov.

For general information contact: The TSCA-Hotline, ABVI-Goodwill, 422 South Clinton Ave., Rochester, NY 14620; telephone number: (202) 554–1404; email address: TSCA-Hotline@epa.gov.

### SUPPLEMENTARY INFORMATION:

### I. General Information

A. Does this action apply to me?

This action is directed to the public in general and may be of interest to entities that currently or may manufacture (including import) a chemical substance regulated under TSCA (e.g., entities identified under North American Industrial Classification System (NAICS) codes 325 and 324110). The action may also be of interest to chemical processors, distributors in commerce, and users; non-governmental organizations in the environmental and public health sectors; state and local government agencies; and members of the public. The Agency has not attempted to describe all the specific entities and corresponding NAICS codes for entities that may be interested in or affected by this action.

B. What action is the Agency taking?

EPA is announcing the availability of and seeking public comment on the revised document entitled "TSCA New Chemical Determinations: A Working Approach for Making Determinations under TSCA Section 5" (the "Working Approach").

C. Why is the Agency taking this action?

EPA expects the updated document will provide further clarity and detail on EPA's approaches and practices related to the review of new chemicals under TSCA, including: (1) EPA's general guiding principles and concepts for making determinations on new chemical notices submitted to EPA under TSCA section 5; (2) the decision-making logic and the key questions that EPA must address; and (3) a discussion of how EPA might apply the working approach to reach one of the five new chemical determinations in TSCA section 5(a)(3).

- D. What should I consider as I prepare my comments for EPA?
- 1. Submitting Confidential Business *Information (CBI).* Do not submit this information to EPA through regulations.gov or email. Clearly mark the part or all of the information that you claim to be CBI. For CBI in a disk or CD–ROM that you mail to EPA, mark the outside of the disk or CD-ROM as CBI and then identify electronically within the disk or CD-ROM the specific information that is claimed as CBI. In addition to one complete version of the comment that includes information claimed as CBI, a copy of the comment that does not contain the information claimed as CBI must be submitted for inclusion in the public docket. Information so marked will not be disclosed except in accordance with procedures set forth in 40 CFR part 2.
- 2. Tips for preparing your comments. When preparing and submitting your comments, see the commenting tips at http://www.epa.gov/dockets/comments.html.

### II. Background

EPA released an initial version of the Working Approach document for public comment in November 2017, and subsequently held a public meeting on implementing the new chemicals program under amended TSCA on December 14, 2017 (82 FR 51415, November 6, 2017) (FRL–9970–34). After consideration of comments received on the 2017 version and based on additional implementation experience, EPA updated the Working Approach. On December 10, 2019 (84 FR 64063, November 20, 2019) (FRL–

10002–09), EPA held a public meeting to preview the document and to provide an update on other aspects of EPA's implementation of the new chemicals program under TSCA. EPA is now announcing the availability of the updated Working Approach for public review and comment.

Additional information on the TSCA amendments can be found at https://www.epa.gov/assessing-and-managing-chemicals-under-tsca/frank-r-lautenberg-chemical-safety-21st-century-act.

Authority: 15 U.S.C. 2601 et seq.

Dated: December 20, 2019.

### Alexandra Dapolito Dunn,

Assistant Administrator, Office of Chemical Safety and Pollution Prevention.

[FR Doc. 2019–28325 Filed 12–31–19; 8:45 am]

BILLING CODE 6560-50-P

## **ENVIRONMENTAL PROTECTION AGENCY**

[EPA-HQ-OPPT-2019-0075; FRL-9992-83]

# Certain New Chemicals; Receipt and Status Information for September 2019

**AGENCY:** Environmental Protection Agency (EPA). **ACTION:** Notice.

**SUMMARY:** EPA is required under the Toxic Substances Control Act (TSCA), as amended by the Frank R. Lautenberg Chemical Safety for the 21st Century Act, to make information publicly available and to publish information in the Federal Register pertaining to submissions under TSCA Section 5, including notice of receipt of a Premanufacture notice (PMN), Significant New Use Notice (SNUN) or Microbial Commercial Activity Notice (MCAN), including an amended notice or test information; an exemption application (Biotech exemption); an application for a test marketing exemption (TME), both pending and/or concluded; a notice of commencement (NOC) of manufacture (including import) for new chemical substances; and a periodic status report on new chemical substances that are currently under EPA review or have recently concluded review. This document covers the period from 09/01/2019 to 09/30/2019.

**DATES:** Comments identified by the specific case number provided in this document must be received on or before February 3, 2020.

ADDRESSES: Submit your comments, identified by docket identification (ID) number EPA-HQ-OPPT-2019-0075, and the specific case number for the

chemical substance related to your comment, by one of the following methods:

- Federal eRulemaking Portal: http://www.regulations.gov. Follow the online instructions for submitting comments. Do not submit electronically any information you consider to be Confidential Business Information (CBI) or other information whose disclosure is restricted by statute.
- *Mail:* Document Control Office (7407M), Office of Pollution Prevention and Toxics (OPPT), Environmental Protection Agency, 1200 Pennsylvania Ave. NW, Washington, DC 20460–0001.
- Hand Delivery: To make special arrangements for hand delivery or delivery of boxed information, please follow the instructions at http://www.epa.gov/dockets/contacts.html.

  Additional instructions on commenting or visiting the docket, along with more information about dockets generally, is available at http://www.epa.gov/dockets.

FOR FURTHER INFORMATION CONTACT: For technical information contact: Jim Rahai, Information Management Division (MC 7407M), Office of Pollution Prevention and Toxics, Environmental Protection Agency, 1200 Pennsylvania Ave. NW, Washington, DC 20460–0001; telephone number: (202) 564–8593; email address: rahai.jim@epa.gov.

For general information contact: The TSCA-Hotline, ABVI-Goodwill, 422 South Clinton Ave., Rochester, NY 14620; telephone number: (202) 554–1404; email address: TSCA-Hotline@epa.gov.

#### SUPPLEMENTARY INFORMATION:

### I. Executive Summary

A. What action is the Agency taking?

This document provides the receipt and status reports for the period from 09/01/2019 to 09/30/2019. The Agency is providing notice of receipt of PMNs, SNUNs and MCANs (including amended notices and test information); an exemption application under 40 CFR part 725 (Biotech exemption); TMEs, both pending and/or concluded; NOCs to manufacture a new chemical substance; and a periodic status report on new chemical substances that are currently under EPA review or have recently concluded review.

EPA is also providing information on its website about cases reviewed under the amended TSCA, including the section 5 PMN/SNUN/MCAN and exemption notices received, the date of receipt, the final EPA determination on the notice, and the effective date of

EPA's determination for PMN/SNUN/MCAN notices on its website at: https://www.epa.gov/reviewing-new-chemicals-under-toxic-substances-control-act-tsca/status-pre-manufacture-notices. This information is updated on a weekly basis.

B. What is the Agency's authority for taking this action?

Under the TSCA, 15 U.S.C. 2601 et seq., a chemical substance may be either an "existing" chemical substance or a "new" chemical substance. Any chemical substance that is not on EPA's TSCA Inventory of Chemical Substances (TSCA Inventory) is classified as a "new chemical substance," while a chemical substance that is listed on the TSCA Inventory is classified as an "existing chemical substance." (See TSCA section 3(11).) For more information about the TSCA Inventory go to: https://www.epa.gov/tsca-inventory.

Any person who intends to manufacture (including import) a new chemical substance for a non-exempt commercial purpose, or to manufacture or process a chemical substance in a non-exempt manner for a use that EPA has determined is a significant new use, is required by TSCA section 5 to provide EPA with a PMN, MCAN or SNUN, as appropriate, before initiating the activity. EPA will review the notice, make a risk determination on the chemical substance or significant new use, and take appropriate action as described in TSCA section 5(a)(3).

TSCA section 5(h)(1) authorizes EPA to allow persons, upon application and under appropriate restrictions, to manufacture or process a new chemical substance, or a chemical substance subject to a significant new use rule (SNUR) issued under TSCA section 5(a)(2), for "test marketing" purposes, upon a showing that the manufacture, processing, distribution in commerce, use, and disposal of the chemical will not present an unreasonable risk of injury to health or the environment. This is referred to as a test marketing exemption, or TME. For more information about the requirements applicable to a new chemical go to: http://www.epa.gov/oppt/newchems.

Under TSCA sections 5 and 8 and EPA regulations, EPA is required to publish in the **Federal Register** certain information, including notice of receipt of a PMN/SNUN/MCAN (including amended notices and test information); an exemption application under 40 CFR part 725 (biotech exemption); an application for a TME, both pending and concluded; NOCs to manufacture a new chemical substance; and a periodic status report on the new chemical

substances that are currently under EPA review or have recently concluded review.

C. Does this action apply to me?

This action provides information that is directed to the public in general.

D. Does this action have any incremental economic impacts or paperwork burdens?

No.

- E. What should I consider as I prepare my comments for EPA?
- 1. Submitting confidential business information (CBI). Do not submit this information to EPA through regulations.gov or email. Clearly mark the part or all of the information that you claim to be CBI. For CBI information in a disk or CD-ROM that you mail to EPA, mark the outside of the disk or CD-ROM as CBI and then identify electronically within the disk or CD-ROM the specific information that is claimed as CBI. In addition to one complete version of the comment that includes information claimed as CBI, a copy of the comment that does not contain the information claimed as CBI must be submitted for inclusion in the public docket. Information so marked will not be disclosed except in accordance with procedures set forth in 40 CFR part 2.
- 2. Tips for preparing your comments. When preparing and submitting your comments, see the commenting tips at http://www.epa.gov/dockets/comments.html.

### **II. Status Reports**

In the past, EPA has published individual notices reflecting the status of TSCA section 5 filings received, pending or concluded. In 1995, the Agency modified its approach and streamlined the information published in the **Federal Register** after providing notice of such changes to the public and an opportunity to comment (See the Federal Register of May 12, 1995 (60 FR 25798) (FRL-4942-7). Since the passage of the Lautenberg amendments to TSCA in 2016, public interest in information on the status of section 5 cases under EPA review and, in particular, the final determination of such cases, has increased. In an effort to be responsive to the regulated community, the users of this information, and the general public, to comply with the requirements of TSCA, to conserve EPA resources and to streamline the process and make it more timely, EPA is providing information on its website about cases reviewed under the amended TSCA, including the section 5 PMN/SNUN/MCAN and

exemption notices received, the date of receipt, the final EPA determination on the notice, and the effective date of EPA's determination for PMN/SNUN/MCAN notices on its website at: https://www.epa.gov/reviewing-new-chemicals-under-toxic-substances-control-act-tsca/status-pre-manufacture-notices. This information is updated on a weekly basis.

### III. Receipt Reports

For the PMN/SNUN/MCANs that have passed an initial screening by EPA during this period, Table I provides the following information (to the extent that such information is not subject to a CBI claim) on the notices screened by EPA during this period: The EPA case number assigned to the notice that indicates whether the submission is an initial submission, or an amendment, a notation of which version was received, the date the notice was received by EPA, the submitting manufacturer (*i.e.*, domestic producer or importer), the potential uses identified by the manufacturer in the notice, and the chemical substance identity.

As used in each of the tables in this unit, (S) indicates that the information in the table is the specific information provided by the submitter, and (G) indicates that this information in the table is generic information because the specific information provided by the

submitter was claimed as CBI. Submissions which are initial submissions will not have a letter following the case number. Submissions which are amendments to previous submissions will have a case number followed by the letter "A" (e.g. P-18-1234A). The version column designates submissions in sequence as "1", "2", "3", etc. Note that in some cases, an initial submission is not numbered as version 1; this is because earlier version(s) were rejected as incomplete or invalid submissions. Note also that future versions of the following tables may adjust slightly as the Agency works to automate population of the data in the tables.

### TABLE I—PMN/SNUN/MCANS APPROVED\* FROM 09/01/2019 TO 09/30/2019

Case No.	Version	Received date	Manufacturer	Use	Chemical substance
J–19–0026	1	09/18/2019	CBI	(G) Production of Biofuel	(G) Biofuel-producing modified microorganism(s), with chromosomally-borne modifications.
J-19-0027	1	09/18/2019	CBI	(G) Production of Biofuel	(G) Biofuel-producing modified microorganism(s), with chromosomally-borne modifications.
P-16-0053A P-16-0225A	2 5	09/03/2019 09/16/2019	CBI	(G) Printing ink applications (S) The notified substance will be used as a fragrance ingredient, being blended (mixed) with other fragrance ingredients to make fragrance oils that will be sold to industrial and commercial customers for their incorporation into soaps, detergents, cleaners, air fresheners, candles and other similar industrial, household and consumer products.	(G) Acrylated polycarbonate polyol. (S) isomer mixture of Cyclohexanol, 4-ethylidene-2-propoxy- (CAS 1631145–48–6) (35–45%) and Cyclohexanol, 5-ethylidene-2-propoxy (CAS 1631145–49–7) (45–55%).
P-16-0225A	6	09/16/2019	International Flavors & Fragrances Inc.	(S) The notified substance will be used as a fragrance ingredient, being blended (mixed) with other fragrance ingredients to make fragrance oils that will be sold to industrial and commercial customers for their incorporation into soaps, deter- gents, cleaners, air fresheners, candles and other similar industrial, household and consumer products.	(S) isomer mixture of Cyclohexanol, 4-ethylidene-2-propoxy- (CAS 1631145–48–6) (35–45%) and Cyclohexanol, 5-ethylidene-2-propoxy (CAS 1631145–49–7) (45–55%).
P-16-0410A	5	09/18/2019	CBI	(G) Automotive engine fluid additive	(G) Silicophosphonate-sodium silicate.
P-16-0438A P-16-0442A	14 6	05/27/2019 09/04/2019	CBI	(S) Intermediate for pesticide inert	<ul> <li>(S) 3-Butenenitrile, 2-(acetyloxy).</li> <li>(G) Carboxylic acids, unsaturated, polymers with disubstituted amine, alkanediol, substituted alkylpropanoic acid, alkanedioic acid and sub- stituted isocyanatocycloalkane, compds with alkylamine.</li> </ul>
P-16-0443A	6	09/04/2019	CBI	(G) Polymer for coatings	(G) Carboxylic acids, unsaturated, hydrogenated polymers with disubstituted amine, alkanediol, substituted alkylpropanoic acid, alkanedioic acid and substituted isocyanatocycloalkane, compds with alkylamine.
P-16-0444A	6	09/04/2019	CBI	(G) Polymer for coatings	(G) Carboxylic acids, unsaturated, polymers with substituted alkanediamine, alkanediol, sub- stituted alkylpropanoic acid, alkanedioic acid and substituted isocyanatocycloalkane, compds with alkylamine.
P-16-0445A	6	09/04/2019	CBI	(G) Polymer for coatings	(G) Ćarboxylic acids, unsaturated, hydrogenated polymers with substituted alkanediamine, alkanediol, substituted alkylpropanoic acid, alkanedioic acid and substituted isocyanatocycloalkane, compds with alkylamine.
P-16-0509A	11	03/26/2019	CBI	or film/sheet for the industrial use.	(G) Modified ethylene-vinyl alcohol copolymer.
P-16-0541A	5	08/21/2019	Specialty Organics, Inc.	(S) Adhesive for wood particle/chip/fiber-board.	(S) Soybean meal, reaction products with phosphoric trichloride.
P-17-0003A	10	09/03/2019	CBI	(G) Printing ink applications	(G) Styrene(ated) copolymer with alkyl(meth)acrylate, and (meth)acrylic acid.
P-17-0016A	6	09/03/2019	CBI	(G) Polymer for coatings	(G) hydroxyl alkyl acrylate ester, polymer with acrylates, aromatic vinyl monomer, cycloaliphatic lactone, and alkyl carboxylic acid, peroxide initi- ated.
P-17-0017A	6	09/03/2019	CBI	(G) Polymer for coatings	(G) hydroxyl alkyl acrylate ester, polymer with acrylates, aromatic vinyl monomer, cycloaliphatic lactone, and alkyl carboxylic acid, peroxide initi- ated.
P-17-0018A	6	09/03/2019	CBI	(G) Polymer for coatings	(G) hydroxyl alkyl acrylate ester, polymer with acrylates, aromatic vinyl monomer, cycloaliphatic lactone, and alkyl carboxylic acid, Azobis[aliphatic nitrile] initiated.

Case No.	Version	Received date	Manufacturer	Use	Chemical substance
P-17-0019A	6	09/03/2019	CBI	(G) Polymer for coatings	acrylates, aromatic vinyl monomer, cycloaliphatic lactone, and alkyl carboxylic acid, peroxide initi-
P-17-0020A	6	09/03/2019	СВІ	(G) Polymer for coatings	acrylates, aromatic vinyl monomer, cycloaliphatic lactone, and alkyl carboxylic acid, peroxide initi-
P-17-0021A	6	09/03/2019	CBI	(G) Polymer for coatings	acrylates, aromatic vinyl monomer, cycloaliphatic lactone, and alkyl carboxylic acid,
P-17-0026A	4	09/03/2019	СВІ	(G) Industrial Ink printing applications	Azobis[aliphatic nitrile] initiated. (G) Cycloaliphatic diamine, polymer with .alpha-hydroomegahydroxypoly(oxy-alkanediyl), alpha-hydro-omega-hydroxypoly(oxy-alkanediyl),
P-17-0086A	3	09/10/2018	CBI	(G) Perfume	
P-17-0121A	5	09/04/2019	CBI	(S) Polyurethane used in an adhesive	
P-17-0152A	4	08/29/2019	CBI	(G) Additive in home care products	Polyurethane Resin. (G) Poly-(2-methyl-1-oxo-2-propen-1-yl) ester with Ethanaminium, N,N,N-trialkyl, chloride and methoxypoly(oxy-1,2-ethanediyl).
P-17-0160A	3	09/03/2019	CBI	(G) Binder	(G) 2-Propenoic acid, alkyl-, alkyl ester, polymer with alkyl 2-propenoate, dialkyloxoalkyl-2-propenamide and alkyl 2-propenoate.
P-17-0161A	3	09/03/2019	CBI	(G) Binder	(G) 2-Propenoic acid, alkyl-, alkyl ester, polymer with alkyl 2-propenoate, dialkyloxoalkyl-2- propenoatide, ethenylbenzene and alkyl 2- propenoate.
P-17-0184A	5	09/12/2019	Colonial Chemical, Inc.	(S) Firefighting foams, Personal Care Products, Shampoos, Conditioners, Facial Washes, Transportation Washes, and Industrial All-Purpose Cleaners.	(S) 1-Propanaminium, 2-hydroxy-N, N-dimethyl-N- [3-[(1-oxooctyl-amino]propyl]-3-sulfo-, inner salt.
P-17-0200A	5	09/16/2019	CBI	(S) Monomer for use to manufacture of a high performance polymer.	(G) 1,3-bis(substitutedbenzoyl)benzene.
P-17-0204A	5	09/16/2019	CBI	(S) Monomer for high performance poly-	(G) 1,4-bis(substitutedbenzoyl)benzene.
P-17-0205A	6	09/16/2019	CBI		(G) bis(fluorobenzoyl)benzene.
P-17-0207A	5	09/03/2019	CBI	mer and, (G) A-n process reagent.	(G) 2-alkenoic acid, 2 alkyl, 2 alkyl ester, polymer
					with alkyl alkenoate, carbomonocyle, alkyl alkenoate and alkyl alkenoate, alkyl peroxide ini-
P-17-0233A	3	09/23/2019	Solenis LLC	(S) Creping Aid for Yankee Dryers to man-	tiated. (G) Oxyalkylene modified polyalkyl amine alkyl
P-17-0298A	3	09/06/2019	GE Water & Process Technologies.	ufacture tissue and towel paper.  (S) The notified substance is described as a hydrogen sulfide scavenger used in controlling hydrogen sulfide in the vapor space of fuel storage, shipping vessels and pipelines. It is designed to reduce the health, safety and environmental hazards of handling fuels containing H2S. The substance reacts selectively with (neutralizes) and removes H2S to help meet product and process specifications.	diacid polymer with 2-(chloromethyl)oxirane.  (S) Formaldehyde, homopolymer, reaction products with N-propyl-1-propanamine.
P-17-0329A	10	09/05/2019	CBI		(G) Substituted haloaromatic trihaloalkyl-aromatic alkanone.
P–17–0346A P–17–0347A	10 4	09/12/2019 09/12/2019	CBI	(G) Destructive use(G) Oilfield Surfactant	(G) Propyl Phosphonium Salt. (S) Oxirane, 2-methyl-, polymer with oxirane, mono(2-butyloctyl) ether
P-17-0348A	4	09/12/2019	Sasol Chemicals (USA) LLC.	(G) Oilfield Surfactant	
P-17-0349A	4	09/12/2019	Sasol Chemicals (USA) LLC.	(G) Oilfield Surfactant	(S) Oxirane, 2-methyl-, polymer with oxirane, mono(2-octyldodecyl) ether.
P-17-0350A	4	09/12/2019	Sasol Chemicals (USA) LLC.	(G) Oilfield Surfactant	(S) Oxirane, 2-methyl-, polymer with oxirane, mono(2-decyltetradecyl) ether.
P-17-0351A	4	09/12/2019	Sasol Chemicals (USA) LLC.	(G) Oilfield Surfactant	(S) Oxirane, 2-methyl-, polymer with oxirane, mono(2-dodecvlhexadecvl) ether.
P-17-0352A	4	09/12/2019	Sasol Chemicals (USA) LLC.	(G) Oilfield Surfactant	(S) Oxirane, 2-methyl-, polymer with oxirane, mono(2-tetradecyloctadecyl) ether.
P-17-0387A	6	09/03/2019	CBI	(G) Paint	(G) Dicarboxylic acids, polymers with alkanoic acid, alkanediol, susbitiuted-alkylalkanoic acid, sub- stituted alkyl carbomonocyle, alkanedioic acid and alkanediol, alkanolamine blocked, compds
P-17-0388A	6	09/03/2019	CBI	(G) Paint	with alkanolamine.  (G) Dicarboxylic acids, polymers with alkanoic acid, alkanediol, susbitiuted-alkylalkanoic acid, substituted alkyl carbomonocyle, alkanedioic acid and alkanediol, alkanolamine blocked, compds with alkanolamine.
P-17-0398A	11	03/21/2019	Nexus Fuels	(G) Wax- Component of complex formula-	(G) Branched Cyclic and Linear Hydrocarbons from
P-17-0398A	13	08/22/2019	Nexus Fuels	tions for blending. (G) Component of complex formulations	Plastic Depolymerization.  (G) Branched Cyclic and Linear Hydrocarbons from
P-17-0399A	11	03/21/2019	Nexus Fuels	for blending. (G) Stock use	Plastic Depolymerization. (G) Alkane, Alkene, Styrenic Compounds Derived
P-17-0399A	13	08/22/2019	Nexus Fuels	(G) Stock use	from Plastic Depolymerization. (G) Alkane, Alkene, Styrenic Compounds Derived
P-18-0001A	10	03/21/2019	Nexus Fuels	(G) Additive	from Plastic Depolymerization. (G) Carbon compound derived from plastic
	1	1	1	I	depolymerization.

Case No.	Version	Received date	Manufacturer	Use	Chemical substance
P-18-0001A	12	08/23/2019	Nexus Fuels	(G) Additive	(G) Carbon compound derived from plastic depolymerization.
P-18-0012A P-18-0018A	5 5	09/18/2019 09/03/2019	CBI	(G) Adhesives(G) Lubricant	(G) Polyester polyol.
P-18-0021A	3	09/03/2019	CBI	(G) Paint	(G) Dicarboxylic acids, polymers with substituted poly( substituted alkendiyl) ,3-hydroxy-2-(hydroxyalkyl)-2-alkylalkenoic acid, 5-substituted-1-(substituted alkyl)-1,3,3-trialkyl carbomonocyle, alkanediol, alkane-triol, alcohol blocked compounds with aminoalcohol.
P-18-0028A	8	08/23/2019	Nexus Fuels	(G) Feedstock, blending	(G) Branched cyclic and linear hydrocarbons from plastic depolymerization.
P-18-0049A P-18-0056A	7 8	09/20/2019 09/26/2019	CBI	(G) Coating component/processing aid (S) Rubber Adhesion promoter. Use in the manufacturing process of tires. The PMN chemical improves the bonding of rubber to metal; acts as an oxygen	(G) Mixed metál halide.     (S) Cobalt Neodecanoate Propionate complexes.
P-18-0061A	4	08/29/2019	CBI	scavenger in various applications. (G) Industrial coating hardners	(G) Alkyl methacrylates, polymer with alkyl acrylates, styrene hydroxyalkyl acrylates, novalac epoxy and epoxy modified acrylic salt with organic amines.
P-18-0063A	2	09/17/2019	Ethox Chemicals, LLC.	(G) This material is used as a lubricant additive for applications such as stamp- ing, forming, cutting, drilling, or other- wise working metals.	(G) alcohol alkoxylate phosphate,.
P–18–0074A	3	08/21/2019	CBI	(S) A precursor used in the synthesis of quantum dots that are used as a com- ponent to make an optical down con- verter, and, Component in an optical down converter.	(G) Saturated fatty acid, reaction products with cadmium zinc selenide sulfide and polymeric amine.
P-18-0076A P-18-0084A P-18-0105A	2 7 2	09/03/2019 08/14/2019 09/19/2019	CBI ShayoNano USA, Inc Reagens USA Inc	(G) Plastic additive     (S) Additive for paints and coatings	<ul> <li>(G) 1,3,5-Triazine-2,4-Diamine Derivative.</li> <li>(S) silicon zinc oxide.</li> <li>(S) Phosphorous acid, triisotridecyl ester.</li> </ul>
P-18-0109A	3	08/30/2019	CBI	performance of end products. (G) Additive, open, non-dispersive use	(G) 2-Alkenoic acid, 2-alkyl-, alkyl ester, polymer with 2-(dialkylamino)alkyl 2-alkyl-2-alkenoate, alkyl 2-alkyl-2-alkenoate and ¿-(2-alkyl-1-oxo-2-alken-1-yl)-¿-alkoxypoly(oxy-1,2-alkanediyl), [(1-alkoxy-2-alkyl-1-alken-1-yl)oxy]trialkylsilane-initiated.
P-18-0144A	4	09/05/2019	CBI	(G) Curing agent	
P-18-0144A	5	09/18/2019	CBI	(G) Anti-corrosive primer for outdoor industrial applications.	(G) Formaldehyde, polymer with an alkane diamine and phenol.
P-18-0152A	3	07/05/2018	CBI	(G) Intermediate for use in manufacturing	(G) Hydrolyzed Functionalized Di-amino Silanol Polymer.
P-18-0154A	7	09/03/2019	CBI	(G) Crosslinking agent for coatings	(G) Isocyanic acid, polyalkylenepolycycloalkylene ester, 2-alkoxy alkanol and 1-alkoxy alkanol and alkylene diol blocked.
P-18-0155A	4	05/03/2019	CBI	(G) Component in cement	(G) Crosslinked polymer of alkyl acrylamides, acry- late esters, and alkyl acrylamide sulfonate salt.
P-18-0155A	5	05/06/2019	CBI	(G) Component in cement	(G) Crosslinked polymer of alkyl acrylamides, acrylate esters, and alkyl acrylamide sulfonate salt.
P-18-0155A	6	08/06/2019	CBI	(G) Component in cement	(G) Crosslinked polymer of alkyl acrylamides, acrylate esters, and alkyl acrylamide sulfonate salt.
P-18-0156A	4	05/03/2019	CBI	(G) Component in cement	(G) Crosslinked polymer of alkyl acrylamides, acrylate esters, and alkyl acrylamide sulfonic acid.
P-18-0156A	5	05/06/2019	CBI	(G) Component in cement	(G) Crosslinked polymer of alkyl acrylamides, acrylate esters, and alkyl acrylamide sulfonic acid.
P-18-0156A	6	08/06/2019	CBI	(G) Component in cement	(G) Crosslinked polymer of alkyl acrylamides, acrylate esters, and alkyl acrylamide sulfonic acid.
P-18-0160A	3	02/20/2019	СВІ	(G) Coating component	(G) Heteropolycyclic, halo substituted alkyl substituted- diaromatic amino substituted carbomonocycle, halo substituted alkyl sub- stituted heteropolycyclic, tetraaromatic metalloid
P-18-0170A	6	05/23/2018	CBI	(G) Textile treatment	salt (1:1). (S) 1-Propanaminium, N,N'-(oxydi-2,1-ethanediyl)bis[3-chloro-2-hydroxy-N,N-dimethyl-,
P-18-0172A	10	04/04/2019	CBI	(S) Category of use: by function and application i.e. a dispersive dye for finishing	dichloride. (S) Calcium, carbonate 2-ethylhexanoate neodecanoate propionate complex.
P-18-0172A	11	06/25/2019	CBI	polyester fibers). (S) Category of use: by function and application i.e. a dispersive dye for finishing	(S) Calcium, carbonate 2-ethylhexanoate neodecanoate propionate complex.
P-18-0172A	12	08/21/2019	СВІ	polyester fibers). (S) Category of use: by function and appli- cation i.e. a dispersive dye for finishing polyester fibers).	(S) Calcium, carbonate 2-ethylhexanoate neodecanoate propionate complex.
P-18-0192A	3	09/12/2019	Archroma U.S., Inc	(S) Optical brightener for use in paper applications.	(G) Benzenesulfonic acid, (alkenediyl)bis[[[(hydroxyalkyl)amino]- (phenylamino)-triazin-2-yl]amino]-, N- (hydroxyalkyl) derivs., salts, compds. with
P–18–0197A P–18–0202A	3 5	09/04/2019 06/21/2018	CBI Hexion, Inc	(G) Polymer composite additive(G) Tackifier additives and Rubber additive	polyalkyl-substituted(alkanol). (G) Metal, alkylcarboxylate oxo complexes. (G) Trialkyl alkanal, polymer with phenol.

	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		11011,1110,1110,11	1110125 1110111 00/01/2010 10 0	0,00,2010 0011tillia0a
Case No.	Version	Received date	Manufacturer	Use	Chemical substance
P-18-0202A P-18-0203A	6 5	05/23/2019 06/21/2018	Hexion, Inc Hexion, Inc	(G) Tackifier additives and Rubber additive (G) Tackifier additives and Rubber additive	(G) Trialkyl alkanal, polymer with phenol. (G) Trialkyl alkanal, polymer with alkylalkanal and
P-18-0203A	6	05/23/2019	Hexion, Inc	(G) Rubber additive and Tackifier additives	phenol.  (G) Trialkyl alkanal, polymer with alkylalkanal and phenol.
P-18-0204A P-18-0204A P-18-0205A	5 6 5	06/21/2018 05/23/2019 06/21/2018	Hexion, Inc Hexion, Inc Hexion, Inc	(G) Tackifier additive and Rubber additive (G) Rubber additive and Tackifier additives (G) Rubber additive and Tackifier additive	(G) Alkyl alkanal, polymer with phenol.     (G) Alkyl alkanal, polymer with phenol.     (G) Alkyl alkanal, polymer with formaldehyde and
P-18-0205A	6	05/23/2019	Hexion, Inc	(G) Rubber additive and Tackifier additive	phenol.  (G) Alkyl alkanal, polymer with formaldehyde and phenol.
P-18-0206A	5	06/21/2018	Hexion, Inc	(G) Rubber additive and Tackifier	(G) Alkanal, polymer with phenol.
P-18-0206A	6	05/23/2019	Hexion, Inc	(G) Rubber additive and Tackifier additive	(G) Alkanal, polymer with phenol.
P–18–0207A P–18–0223A	4 3	09/04/2019 09/14/2019	CBI	(G) Polymer composite additive(S) Selectivity improver for catalysts used	(G) Metal, oxo alkylcarboxylate complexes. (G) Alkane, bis(alkoxymethyl)-dimethyl
P-18-0234A	5	05/31/2019	CBI	in the production of polyolefins. (G) Coating component	(G) Alkenoic acid, reaction products with bis substituted alkane and ether polyol.
P-18-0237A	8	07/13/2019	CBI	(G) Use in print resins	(G) Alkanediol, polymer with 5-isocyanato-1- (isocyanatomethyl)-1,3,3-trimethylcyclohexane, alkylaminoalkyl methacrylate-, and dialkylheteromonocycle-blocked.
P-18-0256A	3	09/19/2019	CBI	(G) Solvent and Chemical intermediate	(S) Undecanol, branched.
P-18-0262A	5	09/16/2019	Seppic	(S) Function: Stabilizer of suspensions Applications: Detergency.	(S) 2-Propenoic acid, 2-methyl-, dodecyl ester, polymer with ammonium 2-methyl-2-[(1-oxo-2-propen-1-yl)amino]-1-propanesulfonate (1:1), N,N-dimethyl-2-propenamide and alpha-(2-methyl-1-oxo-2-propen-1-yl)-omega-(dodecyloxy)poly(oxy-1,2-ethanediyl).
P-18-0287A	6	02/11/2019	СВІ	(G) Company plans to produce "tires, wastes, pyrolyzed, condensate oil fraction" (hereafter referred to as syn oil) (CASRN: 1312024–02–4) from scrap tire materials. The synthetic oil fraction from tire waste pyrolysis can be used in a variety of industries. Some examples of use of synthetic oil include use as a fuel, upgraded for use as a higher quality fuel, as an additive for asphalt or other complex mixtures, used to manufacture other chemicals, etc.	(G) Synthetic oil from tires.
P-18-0287A	7	02/28/2019	CBI	(G) Company plans to produce "tires, wastes, pyrolyzed, condensate oil fraction" (hereafter referred to as syn oil) (CASRN: 1312024–02–4) from scrap tire materials. The synthetic oil fraction from tire waste pyrolysis can be used in a variety of industries. Some examples of use of synthetic oil include use as a fuel, upgraded for use as a higher quality fuel, as an additive for asphalt or other complex mixtures, used to manufacture other chemicals, etc.	(G) Synthetic oil from tires.
P-18-0287A	8	05/22/2019	СВІ	(G) Company plans to produce "tires, wastes, pyrolyzed, condensate oil fraction" (hereafter referred to as syn oil) (CASRN: 1312024–02–4) from scrap tire materials. The synthetic oil fraction from tire waste pyrolysis can be used in a variety of industries. Some examples of use of synthetic oil include use as a fuel, upgraded for use as a higher quality fuel, as an additive for asphalt or other complex mixtures, used to manufacture other chemicals, etc.	(G) Synthetic oil from tires.
P-18-0289A	3	02/15/2019	CBI	(G) Gas scrubbing,) landfill deoderizing, and wastewater deoderizing.	(G) 2-(2(methylcaboxymonocyclic)amino)ethoxy)-alcohol.
P-18-0290A	3	02/15/2019	CBI	(G) Gas scrubbing, Landfill odor neutralizing, and wastewater deoderizing.	(G) Carbomonocylic-oxazolidine.
P-18-0293A	4	08/02/2019	CBI	(S) Monomer for use in emulsion polymers, formulated industrial coatings, and formulated industrial adhesives.	(S) Propanedioic acid, 2-methylene-, 1,3-dihexyl ester.
P-18-0293A	5	08/06/2019	CBI	(S) Monomer for use in emulsion polymers, formulated industrial coatings, and	(S) Propanedioic acid, 2-methylene-, 1,3-dihexyl ester.
P-18-0294A	4	08/02/2019	СВІ	formulated industrial adhesives. (S) Monomer for use in emulsion polymers, formulated industrial coatings, and	(S) Propanedioic acid, 2-methylene-, 1,3-dicyclohexyl ester.
P-18-0294A	5	08/06/2019	CBI	formulated industrial adhesives. (S) Monomer for use in emulsion polymers,(S) Monomer for use in formulated industrial coatings,(S) Monomer for use in formulated industrial adhesives.	(S) Propanedioic acid, 2-methylene-, 1,3-dicyclohexyl ester.

Case No.	Version	Received date	Manufacturer	Use	Chemical substance
P-18-0295A	5	08/22/2019	CBI	(G) Ingredient in the manufacture of consumer cleaning products and use as monomer in the manufacture of resins for use in paint and coating products. (S) Use as a monomer in the manufacture of plastic products. In this process the notified substance is reacted with one or more other compounds to become part of a polymer. Depending on the reactants involved, the final polymer can be a resin used to make molded plastic products or the final polymer can be a shorter polymer used as a plasticizer. (G) Ingredient in the manufacture of consumer cleaning products and use as monomer in the manufacture of resins	(S) 1,3-Butanediol, (3R)  (S) 1,3-Butanediol, (3R)
				for use in paint and coating products.  (S) Use as a monomer in the manufacture of plastic products. In this process the notified substance is reacted with one or more other compounds to become part of a polymer. Depending on the reactants involved, the final polymer can be a resin used to make molded plastic products or the final polymer can be a shorter polymer used as a plasticizer.	
P-18-0323A	4	09/20/2019	KURARAY America, Inc.	(G) Raw material for polymer manufacturing.	(S) 2-Propenoic acid, 2-methyl-, 3-methyl-3-buten- 1-vl ester.
P-18-0327A P-18-0336A	5 4	09/18/2019 07/12/2019	CBI	(G) Filler for non-dispersive resins. (S) Intermediate use	(G) Mixed Metal Oxide. (S) Propanedioic acid, 2,2-bis(hydroxymethyl)-, 1,3-dihexyl ester.
P-18-0337A	4	07/12/2019	Sirrus, Inc	(S) Intermediate use	(S) Propanedioic acid, 2,2-bis(hydroxymethyl)-, 1,3-dicyclohexyl ester.
P-18-0358A	2	10/18/2018	Shikoku International Corporation.	(S) Used as a curing agent within carbon fiber reinforced plastics (CFRP) prepreg to expedite the hardening process dur- ing the final thermosetting operation and as a curing agent in industrial adhesives for electronics to expedite the hardening process during the final thermosetting operation.	(S) 1H-Imidazole-1-propanenitrile,2-ethyl-ar-methyl-
P-18-0358A	3	10/18/2018	Shikoku International Corporation.	(S) Used as a curing agent within carbon fiber reinforced plastics (CFRP) prepreg to expedite the hardening process dur- ing the final thermosetting operation and as a curing agent in industrial adhesives for electronics to expedite the hardening process during the final thermosetting operation.	(S) 1H-Imidazole-1-propanenitrile,2-ethyl-ar-methyl-
P-18-0374A	4	09/05/2019	Evonik Corporation	(S) Additive in a water-borne coating for- mulation, Glass fiber sizing, and Fillers, pigments and glass bead treatment.	(G) Cationic aminomodified alkylpolysiloxane.
P-18-0378A	4	08/29/2019	CBI	(G) Industrial coatings additive	(G) Acrylic and Methacrylic acids and esters, polymer with alkenylimidazole, alkyl polyalkylene glycol, alkenylbenzene, alkylbenzeneperoxoic acid ester initiated, compds. with Dialkylaminoalkanol.
P-18-0392A	2	08/22/2019			(G) Heteromonocycle, alkenyl alkyl.
P–18–0392A P–18–0399A	3 6	09/13/2019 09/02/2019			(G) Heteromonocycle, alkenyl alkyl. (G) Rosin adduct ester, polymer with polyols,
P-18-0400A	6	08/30/2019	CBI	industrial use only. (G) Open, non-dispersive use, additive for	compd. with ethanolamine.  (G) Rosin adduct ester, polymer with polyols, po-
P-18-0404A	7	09/25/2019	CBI	textile industry.  (S) The substance is part of a mixture with other amines to act as a curative for a 2-part epoxy formulation. The intended use is the manufacture of wind turbine blades. During manufacture of the blades this substance forms part of the in mold coating system which is applied to the blade mold and further laminated with glass (or carbon) reinforced fibres (GRP). The manufactured structure is then "cured" using heat and a chemical reaction occurs forming a solid composite structure. The PMN substance is reacted during the cure process into the solid plastic matrix and therefore not present in the finished cured part. Use of this product will enhance the life of renewable energy source provided by wind turbines therefore contributing to the reduction in fossil fuel usage.	tassium salt. (G) alkylmultiheteroatom,2-functionalisedalkyl-2-hydroxyalkyl-, polymer with alkylheteroatom-multialkylfunctionalised carbomonocyleheteroatom and multiglycidylether difunctionalised polyalkylene glycol.
P-18-0414A	2	09/06/2019	СВІ	(G) Lubricant additive	(G) 2-alkenoic acid ester, polymer with alkyloxirane polymer with oxirane di-alkenoate, alkyloxirane polymer with oxirane mono-alkenoate, -(2-alkyl- 1-oxo-2-alken-1-yl)—[(2-alkyl-1-oxo-2-alken-1- yl)oxy]poly(oxyalkanediyl), fluorinated acrylate and siloxanylalkanoate, alkylperoxoate-initiated.

Case No.	Version	Received date	Manufacturer	Use	Chemical substance
P-19-0024A	7	08/28/2019	Sales and Distribution Services, Inc.	(S) Hot Mix Asphalt Application: The PMN compound will be used as asphalt additive for hot mix (HMA) as well as cold mix (CMA) asphalt applications. The PMN substance chemically reacts with the surface of the aggregate and changes surface characteristics of aggregate from hydrophilic to hydrophobic. This change provides stronger bonding between asphalt and aggregates and reduces the potential for stripping away asphalt binder from an aggregate due to water. Asphalt Emulsion Application: The PMN substance is water soluble and can be used as an asphalt emulsion in road construction. This additive provides better bonding with ground surface, quick drying and reduced tire pickup of the asphalt emulsion by application equipment.	(S) 1-Octadecanaminium, N,N-dimethyl-N-[3-(trimethoxysilyl)propyl]-, chloride (1:1), reaction products with water, Trimethoxy(propyl) silane, Trimethoxy(methyl)silane, Tetraethyl orthosilicate and ethane-1,2-diol.
P-19-0028A	8	05/14/2019	CBI	(G) Lubricating oil additive	(G) Alkyl salicylate, metal salts.
P-19-0028A	9	08/23/2019	CBI	(G) Lubricating oil additive	(G) Alkyl salicylate, metal salts.
P-19-0041A	2	09/23/2019	CBI	(G) Oil water separation	(G) Alkyl diester, polymer with (dialkylamino alkyl) amine and bis(halogenated alkyl) ether.
P-19-0042A	2	09/23/2019	CBI	(G) Oil water separation	(G) Alkyl diester, polymer with (dialkylamino alkyl) amine and bis(halogenated alkyl) ether.
P-19-0043A	2	09/23/2019	CBI	(G) Oil water separation	(G) Alkyl dicarboxylic acid, polymer with (dialkylamino alkyl) amine and bis(halogenated alkyl) ether.
P-19-0044A	2	09/23/2019	CBI	(G) Oil water separation	(G) Alkyl bis(dialkylamino alkyl) amide polymer with bis(halogenated alkyl) ether.
P-19-0048A	3	09/16/2019	CBI	(G) Coating additive	<ul><li>(S) Poly(oxy-1,2-ethanediyl), alpha-hydro-omega- hydroxy-, mono-C12-14-alkyl ethers, phosphates, sodium salts.</li></ul>
P-19-0052A	3	05/01/2019	Evonik Corporation	(S) Hard Surface Cleaner and Component of Laundry Detergent.	(S) Poly(oxy-1,2-ethanediyl), alpha-nonyl-omega- hydroxy-, branched and linear.
P-19-0058A	3	09/24/2019	Essential Industries, Inc.	(S) Wood Coating	(S) Butanoic acid, 3-oxo-, 2-[(2-methyl-1-oxo-2-propen-1-yl)oxy]ethyl ester, polymer with butyl 2-propenoate, ethenylbenzene, methyl 2-methyl-2-propenoate and 2-methyl-2-popenoic acid, ammonium salt.
P-19-0065A	5	04/24/2019	eScientia Technologies, LLC.	(S) Fire retardant for thermal plastics: Application: This product is the environmental protection Phosphazene flame retardant. It does not produce pollutants after burning. It is mainly used in PC and ABS resins. It has good flame retardancy on epoxy resin, it can be used to make EMC for IC Packaging, its flame retardancy is much better than Brominated flame retardant. The flame retardancy can reach UL—94V0 grade. Oxygen index could reach 33.1%. When it is used in Benzoxazine Resin glass cloth laminate, if the HPCTP is 10%, the grade of burning could reach V—0 grade, the parallel breakdown voltage is 47KV. When it is used in Polyethylene, the LOI of final flame retardancy polyethylene could reach 30–33. After used in viscose spinning solution, we could get the flame retardant viscose fiber with oxygen index 25.3–26.7. If the added amount is 12% in PC/ABS, it could pass the UL—94 V0 test. It also can be used in LED, powder coating, potting material and polymers.	(S) 2lambda5, 4lambda5, 6lambda5-1,3,5,2,4,6 Triazatriphosphorine, 2,2,4,4,6,6-hexaphenoxy

Case No.	Version	Received date	Manufacturer	Use	Chemical substance
P-19-0065A	6	06/11/2019	eScientia Technologies, LLC.	(S) Fire retardant for thermal plastics: Application: This product is the environmental protection Phosphazene flame retardant. It does not produce pollutants after burning. It is mainly used in PC and ABS resins. It has good flame retardancy on epoxy resin, it can be used to make EMC for IC Packaging, its flame retardancy is much better than Brominated flame retardant. The flame retardancy can reach UL–94V0 grade. Oxygen index could reach 33.1%. When it is used in Benzoxazine Resin glass cloth laminate, if the HPCTP is 10%, the grade of burning could reach V–0 grade, the parallel breakdown voltage is 47KV. When it is used in Polyethylene, the LOI of final flame retardancy polyethylene could reach 30–33. After used in viscose spinning solution, we could get the flame retardant viscose fiber with oxygen index 25.3–26.7. If the added amount is 12% in PC/ABS, it could pass the UL–94 V0 test. It also can be used in LED, powder coating, potting material and polymers.	(S) 2lambda5, 4lambda5, 6lambda5-1,3,5,2,4,6 Triazatriphosphorine, 2,2,4,4,6,6-hexaphenoxy
P-19-0066A	5	04/24/2019	eScientia Tech- nologies, LLC.	(S) Fire retardant	(S) 2lambda5, 4lambda5,- 1,3,5,2,4,6 Triazatriphosphorine, 2,2,4,4,6,6,-hexaphenoxy.
P-19-0066A	6	06/11/2019	eScientia Tech- nologies, LLC.	(S) Fire retardant for industry use only	(S) 2lambda5, 4lambda5,-1,3,5,2,4,6 Triazatriphosphorine, 2,2,4,4,6,6,-hexaphenoxy.
P-19-0071A	4	09/23/2019	CBI	(G) Physical property modifier for polymers.	(G) Trimethylolpropane, alkenoic acid, triester.
P–19–0077A P–19–0099A	7 4	09/23/2019 08/29/2019	CBI Essential Industries Inc.	(G) Agricultural(S) Clear coat for wood	(G) alkenylamide. (S) Propanoic acid, 3-hydroxy-2-(hydroxymethyl)-2-methyl-, polymer with dimethyl carbonate, 1,2-ethanediamine, 2-ethyl-2-(hydroxymethyl)-1,3-propanediol, 1,6-hexanediol and 1,1'-methylenebis[4-isocyanatocyclohexane], compd. with N,N-diethylethanamine.
P-19-0117A	5	09/18/2019	CBI	(G) Additive	(G) Polycyclic amine, reaction products with polyalkylalkene, polymers.
P-19-0118A	3	08/30/2019	CBI	(G) Component of lubricant	(G) Substituted polyalkylenepoly, reaction products with alkene polymer.
P-19-0120A	2	08/30/2019	CBI	(G) Component of ink	(G) Alkenoic acid, polymer with alkanediyl bis sub- stituted alkylene bis heteromonocycle, sub- stituted carbomonocycle and (alkylalkenyl) carbomonocycle, alkali metal salt.
P-19-0121A	3	09/24/2019	H.B. Fuller Company	(S) Industrial Adhesives	(G) Plant based oils, polymer with 1,1'- methylenebis[4-isocyanatobenzene], pentaeryth- ritol, phthalic esters, polypropylene glycol and polypropylene glycol ether with glycerol (3:1).
P-19-0130A	4	09/16/2019	CBI	(G) Dye	(G) Aminohydroxy naphthalenesulfonic acid, coupled with diazotized[(aminophenyl)sulfonyl]ethyl hydrogen sulfate and diazotized amino[[(sulfooxy)ethyl]sulfonyl]benzenesulfonic acid, salts.
P-19-0130A	5	09/20/2019	CBI	(G) Dye	(G) Aminohydroxy naphthalenesulfonic acid, coupled with diazotized[(aminophenyl)sulfonyl]ethyl hydrogen sulfate and diazotized amino[[(sulfooxy)ethyl]sulfonyl]benzenesulfonic acid, salts.
P-19-0130A	6	09/20/2019	CBI	(G) dye	(G) Aminohydroxy naphthalenesulfonic acid, coupled with diazotized[(aminophenyl)sulfonyl]ethyl hydrogen sulfate and diazotized amino[[(sulfooxy)ethyl]sulfonyl]benzenesulfonic acid, salts.
P-19-0135	3	08/26/2019	CBI	(G) Lubricant Additive	(G) Alkyl polyoxyethylene ethers, carboxymethylated,.
P–19–0140A P–19–0141	2 3	09/25/2019 09/19/2019	CBI	(S) For use in metal treatment coatings for	(G) Perfluorodioxaalkyl vinyl ether. (S) Phosphoric Acid, manganese(2+) salt (2:3);
P–19–0143A	3	09/10/2019	Aditya Birla Chemicals (USA), LLC.	lubrication and corrosion protection.  (S) A crosslinking agent for use in epoxy resin for water-based coating for a variety of substrates and civil applications in commercial and consumer usages.	Phosphoric acid, manganese(2+) salt (4:5).  (G) Aldehyde, polymer with mixed alkanepolyamines, 2,2'-[1,4-alkanediylbis(oxyalkylene)] bis[oxirane], 2-(alkoxyalkyloxirane, 4,4'-(1-alkylidene)bis[phenol], 2,2'-[(1-alkylidene)bis(4,1-alkyleneoxyalkylene)]bis[oxirane] and 2-(avdiancelarly)
P-19-0144A	3	09/11/2019	Aditya Birla Chemicals (USA), LLC.	(S) A crosslinking agent in epoxy based self-leveling floor coatings.	(arýloxyalký/)oxirane, acetate (salt). (G) Alkanedioic Acid, compds. With substituted arylalkylamine- arylalcohol disubstituted alkane—the diglycidyl ether of a arylalcohol disubstituted alkane—epichlorohydrin-aldehyde-2,2'-[(1-alkylidene)bis[4,1-aryleneoxy(alkyl-2,1-alkanediyl)oxyalkylene]]bis[oxirane]-alkanepolyamine polymer-1-[[2-1(2-aminoalkyl)amino]alkyl]amino]-3-aryloxy-2-alcohol reaction products.
P–19–0147A P–19–0153A	3 3	09/09/2019 09/24/2019	CRODA, INC Wego Chemical Group.	(G) cleaning additive(S) Raw material in Flame Retardant product.	(G) alkoxylated butyl alkyl ester.     (G) Dibromoalkyl ether Tetrabromobisphenol A.

Case No.	Version	Received date	Manufacturer	Use	Chemical substance
P-19-0155	3	09/18/2019	Huntsman Inter- national, LLC.	(S) Adjuvant for agrochemical formulations	(S) Amides, from C8-18 and C18-unsatd. glycerides and diethylenetriamine, ethoxylated.
P-19-0156	3	09/18/2019	Huntsman Inter- national, LLC.	(S) Adjuvant for agrochemical formulations	(S) Amides, from diethylenetriamine and palm kernel-oil, ethoxylated.
P-19-0157	3	09/18/2019	Huntsman Inter- national, LLC.	(S) Adjuvant in agrochemical formulations	(S) Amides, from coconut oil and
P-19-0158	2	09/16/2019	Ashland, Inc	(G) Adhesive	(G) Alkenoic acid polymer with 2-ethyl-2- (hdroxymethyl)-1,3-alkyldiol, 1,1'-methylenebis(4- isocyantocarbomonocycle) and 3-methyl-1,5- aklydiol.
P-19-0158A	3	09/25/2019	Ashland, Inc	(G) Adhesive	(G) Alkenoic acid polymer with 2-ethyl-2- (hdroxymethyl)-1,3-alkyldiol, 1,1'-methylenebis(4- isocyantocarbomonocycle) and 3-methyl-1,5- aklydiol.
P-19-0159	2	09/03/2019	CBI	(G) As Catalyst in Industrial sector	
P-19-0159A	4	09/17/2019	CBI	(G) As Catalyst in Industrial sector	
P-19-0160	1	09/06/2019	CBI	ink.	(G) Alkanesulfonic acid, 2-[(2-aminoethyl)heteroatom-substituted]-, sodium salt (1:1), polymer with alpha-[2,2-bis(hydroxymethyl)butyl]-omega-methoxypoly(oxy-1,2-ethanediyl) and 1,1'-methylenebis[4-isocyanatocyclohexane], acrylic acid-dipenthaerythritol reaction products- and polypropylene glycol ether with pentaerythritol (4:1) triacrylate-blocked.
P-19-0161	1	09/07/2019	CBI	(S) Organic amine salt mixture used as a foaming agent in the production of urethanes.	(G) Alkano1 amine salt mixture.
P-19-0162	1	09/11/2019	CBI	(G) Component in Oil Production	(G) fatty acid alkyl amide, (dialkyl) amino alkyl, alkyl quaternized, salts.
P-19-0163 P-19-0163A	1 2	09/19/2019 09/25/2019	CBI	(G) Well performance tracer(G) Well performance tracer	(G) halogenated sodium benzoate. (G) halogenated sodium benzoate.
P-19-0164	1	09/20/2019	Allnex USA, Inc	(S) Site limited intermediate for coating resin manufacture.	(G) Bis-alkoxy substituted alkane, polymer with aminoalkanol.
P-19-0165	1	09/23/2019	Arboris, LLC	(G) Plasticizer in rubber and Coating in minerals.	(G) Tall oil pitch, fraction, sterol-low.
P-19-0166	1	09/25/2019	Fujifilm Electronic Materials USA Inc.	(G) Photoacid generator (PAG)	(G) Triarylsulfonium alkylestersulfonate,.
P-19-0167	1	09/25/2019	Santolubes Manufac- turing LLC.	(S) Synthetic engine, gear and lubricating oils and greases.	(S) Poly(oxy-1,4-butanediyl), alpha-hydro-omega- hydroxy-, hexanoate.
P-19-0168 P-19-0169	2 2	09/26/2019 09/26/2019	CBI	(G) Well performance tracer(G) Well performance monitor	(G) Halogenated alkylbenzoic acid. (G) Halogenated alkylbenzoic acid.
P-19-0170	1	09/25/2019	CBI	(S) Coupling agent in elastomer-based for- mulations that will be used in molding operations to manufacture different types of rubber articles including but not limited to rubber tires.	(G) Heteroatom-substituted alkyl triethoxysilane, reaction products with methylated formaldehyde- melamine polymer.
P-19-0175	1 1	09/25/2019 09/25/2019	CBI	(G) Well performance monitor(G) Well performance monitor	(G) Halogenated alkylbenzoic acid. (G) Halogenated alkylbenzoic acid.
P-19-0176 P-19-0177		09/25/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid.
P-19-0178	1	09/25/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid.
P-19-0179	1 1	09/25/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid.
SN-18-0009A	5	02/11/2019	CBI	(G) XX plans to produce carbon char from tires pyrolysis using scrap tire materials.	(G) Carbon char from tires.
SN-18-0009A	6	02/28/2019	CBI	(G) XX plans to produce carbon char from tires pyrolysis using scrap tire materials.	(G) Carbon char from tires.
SN-19-0002A	3	04/10/2019	CBI	(G) Friction and wear stabilizer in certain solid composite articles.	(G) Potassium Titanate.
SN-19-0002A	4	04/12/2019	CBI	(G) Friction and wear stabilizer in certain solid composite articles.	(G) Potassium Titanate.
SN-19-0004A	8	09/13/2019	CBI		(G) pitch coke.
SN-19-0004A	9	09/19/2019	CBI	(S) A lubricating agent used in the production of automotive disc brakes.	

<sup>\*</sup>The term 'Approved' indicates that a submission has passed a quick initial screen ensuring all required information and documents have been provided with the submission prior to the start of the 90-day review period, and in no way reflects the final status of a complete submission review.

In Table II of this unit, EPA provides the following information (to the extent that such information is not claimed as CBI) on the NOCs that have passed an initial screening by EPA during this period: The EPA case number assigned to the NOC including whether the submission was an initial or amended submission, the date the NOC was received by EPA, the date of commencement provided by the submitter in the NOC, a notation of the

type of amendment (e.g., amendment to generic name, specific name, technical contact information, etc.) and chemical substance identity.

### TABLE II—NOCs APPROVED\* FROM 09/01/2019 TO 09/30/2019

Case No.	Received date	Commence- ment date	If amend- ment, type of amend- ment	Chemical substance
J-19-0019	09/25/2019	09/17/2019	N	(G) Genetically modified microorganism.

### TABLE II—NOCs APPROVED\* FROM 09/01/2019 TO 09/30/2019—Continued

Case No.	Received date	Commence- ment date	If amend- ment, type of amend- ment	Chemical substance
P-07-0023	09/04/2019	08/30/2019	N	(S) Propanoic acid, 3-hydroxy-2-(hydroxymethyl)-2-methyl-, polymer with 2-ethyl-2-(hydroxylmethyl)-1,3-propanediol, hydrazine, alpha-hydro-omega-hydroxypoly (oxy-1,4-butanediyl) and 1,1'-methylenebis[4-isocyanatocyclohexane], caprolactam- and polyethylene glycol mono-me ether-blocked, compds, with triethylamine.
P-16-0225A	09/16/2019	07/07/2019	Withdrew CBI claim.	(S) Cyclohexanol, 4-ethylidene-2-propoxy- Cyclohexanol, 5-ethylidne-2-propoxy.
P-16-0396	09/03/2019	08/12/2019	N	(G) Alkylaminium hydroxide.
P-16-0572	09/26/2019	09/19/2019	N	(G) Polyamine polyacid adducts.
P-17-0200	09/26/2019	09/21/2019	N	(G) 1,3-bis(substitutedbenzoyl)benzene.
P-17-0204	09/26/2019	09/21/2019		(G) 1,4-bis(substitutedbenzoyl)benzene.
P-17-0205	09/26/2019	09/21/2019		(G) Bis(fluorobenzoyl)benzene.
P-17-0393	09/03/2019	08/30/2019	N	(G) Alkanediamine, dialkyl-, polymer with alpha-hydro-omega-[(1-oxo-2-propen-1-yl)oxy]poly(oxy-1,2-ethanediyl) ether with substituted alkyl-substitutedalkanediol, reaction products with alkyl-alkanamine.
P-18-0177	09/16/2019	09/03/2019	N	(S) Waxes and waxy substances, rice bran, oxidized.
P-18-0230	09/16/2019	09/03/2019		(S) Waxes and waxy substances, rice bran, oxidized, calcium salts.
P-18-0235	08/29/2019	08/03/2019		(G) Naphtha oils.
P-19-0047	09/20/2019	09/11/2019	N	(S) Propanoic acid, 3-hydroxy-2-(hydroxymethyl)-2-methyl-, polymer with 5-amino-1,3,3-trimethylcyclohexanemethanamine, a-hydro-w-hydroxypoly(oxy-1,4-butanediyl), a-hydro-w-hydroxypoly[oxy(methyl-1,2-ethanediyl)], 5-isocyanato-1-(isocyanatomethyl)-1,3,3-trimethylcyclohexane and 1,1'-methylenebis[4-isocyanatobenzene], Pr alcblocked where a = alpha and w = omega.
P-19-0061	09/12/2019	09/11/2019		(S) Alkanes, C16–20-branched and linear.
P-19-0085	09/12/2019	09/09/2019	N	(S) Alkanes, C16–18-branched and linear.

<sup>\*</sup>The term 'Approved' indicates that a submission has passed a quick initial screen ensuring all required information and documents have been provided with the submission.

In Table III of this unit, EPA provides the following information (to the extent such information is not subject to a CBI claim) on the test information that has

been received during this time period: The EPA case number assigned to the test information; the date the test information was received by EPA, the type of test information submitted, and chemical substance identity.

TABLE III—TEST INFORMATION RECEIVED FROM 09/01/2019 TO 09/30/2019

Case No.	Received date	Type of test information	Chemical substance
P-00-0281	9/3/2019 9/16/2019 9/30/2019	A 48-hour static acute	(G) Alkylaryl sulfonic acid, sodium salts.
P-13-0270	9/5/2019	Determination of toxicity of [claimed CBI] against Chironomus riparius Meigen in a sediment spiked system (OECD 218).	(G) Aromatic dibenzoate.
P-14-0627	9/23/2019	Prenatal developmental toxicity study (OECD 414)	(S) 1-Butylpyrrolidin-2-one.
P-16-0289	9/11/2019	Particle size and concentration	(G) Benzene dicarboxylic acid, polymer with alkane dioic acid and aliphatic diamine.
P-16-0313	8/29/2019	Toxicity Test on Early-life Stages of Zebrafish Danio rerio (OECD 210), Daphnia magna Reproduction Test (OECD 211).	(S) Tar acids (shale oil), C6–9 fraction, alkylphenols, low-boiling.
P-16-0410	9/18/2019	Skin Irritation (OECD 439) and Skin Corrosion (OECD 431)	(G) Phosphonic acid, [(hydroxycyclosiloxanediyl) alkanediyl] dialkyl ester, alkali metal salt, reaction products with alkali metal silicate.
P-16-0539	9/17/2019	Ready Biodegradability (OECD 301B)	(G) Organic sulfonate compound.
P-16-0543	9/26/2019	Exposure Monitoring Report	(G) Halogenophosphoric acid metal salt.
P-17-0343	9/09/2019	Combined repeated dose toxicity with the reproduction/development toxicity screening test (OECD 422), Classification of reproductive toxicity [claimed CBI].	(G) Heteropolycyclic-alkanol, carbomonocycle-alkanesulfonate.

Case No.	Received date	Type of test information	Chemical substance
P-18-0150	9/4/2019	Developmental Toxicity Study in Rats After Inhalation	(G) Tertiary amine, compounds with amino sulfonic acid blocked aliphatic isocyanate homopolymer.
P-18-0351	9/3/2019	2- week dose range finding study by the oral route (Gavage) in rats, ISO MTS cytotoxicity test, Activated Sludge Respiration Inhibition Test (OECD 209), In Vitro Human Lymphocyte Micronucleus Assay (OECD 487).	(G) Acrylic acid, tricyclo alkyl ester.
P-19-0036	8/29/2019	Solubility Method, Environmental Controls	(S) 1,4-Benzenedicarboxylic acid, 1,4-bis(2-phenoxyethyl) ester.

TABLE III—TEST INFORMATION RECEIVED FROM 09/01/2019 TO 09/30/2019—Continued

If you are interested in information that is not included in these tables, you may contact EPA's technical information contact or general information contact as described under FOR FURTHER INFORMATION CONTACT to access additional non-CBI information that may be available.

Authority: 15 U.S.C. 2601 et seq.

Dated: December 10, 2019.

#### Pamela Myrick,

Director, Information Management Division, Office of Pollution Prevention and Toxics.

[FR Doc. 2019–28338 Filed 12–31–19; 8:45 am]

BILLING CODE 6560-50-P

### FEDERAL RESERVE SYSTEM

### Change in Bank Control Notices; Acquisitions of Shares of a Bank or Bank Holding Company

The notificants listed below have applied under the Change in Bank Control Act (Act) (12 U.S.C. 1817(j)) and § 225.41 of the Board's Regulation Y (12 CFR 225.41) to acquire shares of a bank or bank holding company. The factors that are considered in acting on the notices are set forth in paragraph 7 of the Act (12 U.S.C. 1817(j)(7)).

The applications listed below, as well as other related filings required by the Board, if any, are available for immediate inspection at the Federal Reserve Bank indicated. The applications will also be available for inspection at the offices of the Board of Governors. Interested persons may express their views in writing on the standards enumerated in paragraph 7 of the Act.

Comments regarding each of these applications must be received at the Reserve Bank indicated or the offices of the Board of Governors, Ann E. Misback, Secretary of the Board, 20th and Constitution Avenue NW, Washington DC 20551–0001, not later than January 17, 2020.

A. Federal Reserve Bank of Chicago (Colette A. Fried, Assistant Vice President) 230 South LaSalle Street, Chicago, Illinois 60690–1414:

1. The Apple River State Bank
Employee Ownership Plan, Apple River
State Bank, trustee; to acquire voting
shares of First Apple River Corporation
and thereby indirectly acquire voting
shares of Apple River State Bank, all of
Apple River, Illinois.
B. Federal Reserve Bank of

Minneapolis (Mark A. Rauzi, Vice President) 90 Hennepin Avenue, Minneapolis, Minnesota 55480–0291:

1. John E. Babcock, Anoka, Minnesota; to retain voting shares of Metro North Bancshares, Inc. and thereby indirectly retain voting shares of The Bank of Elk River, both of Elk River, Minnesota.

Board of Governors of the Federal Reserve System, December 27, 2019.

#### Ann Misback,

 $Secretary\ of\ the\ Board.$ 

[FR Doc. 2019–28302 Filed 12–31–19; 8:45 am]

BILLING CODE P

### FEDERAL RESERVE SYSTEM

### Change in Bank Control Notices; Acquisitions of Shares of a Bank or Bank Holding Company

The notificants listed below have applied under the Change in Bank Control Act (Act) (12 U.S.C. 1817(j)) and § 225.41 of the Board's Regulation Y (12 CFR 225.41) to acquire shares of a bank or bank holding company. The factors that are considered in acting on the notices are set forth in paragraph 7 of the Act (12 U.S.C. 1817(j)(7)).

The applications listed below, as well as other related filings required by the Board, if any, are available for immediate inspection at the Federal Reserve Bank indicated. The applications will also be available for inspection at the offices of the Board of Governors. Interested persons may express their views in writing on the standards enumerated in paragraph 7 of the Act.

Comments regarding each of these applications must be received at the

Reserve Bank indicated or the offices of the Board of Governors, Ann E. Misback, Secretary of the Board, 20th and Constitution Avenue, NW, Washington, DC 20551–0001, not later than January 15, 2020.

A. Federal Reserve Bank of Kansas City (Dennis Denney, Assistant Vice President) 1 Memorial Drive, Kansas City, Missouri 64198–0001:

1. The JK Durfee Family Revocable Trust, James R. Durfee and Kimberly K. Durfee, as co-trustees, all of Sundance Wyoming; to acquire voting shares of Sundance Bankshares, Inc., and thereby indirectly acquire voting shares of Sundance State Bank, both also of Sundance, Wyoming.

Board of Governors of the Federal Reserve System, December 26, 2019.

### Ann Misback,

Secretary of the Board.

[FR Doc. 2019–28279 Filed 12–31–19; 8:45 am]

BILLING CODE P

### FEDERAL RESERVE SYSTEM

# Formations of, Acquisitions by, and Mergers of Savings and Loan Holding Companies

The companies listed in this notice have applied to the Board for approval, pursuant to the Home Owners' Loan Act (12 U.S.C. 1461 et seq.) (HOLA), Regulation LL (12 CFR part 238), and Regulation MM (12 CFR part 239), and all other applicable statutes and regulations to become a savings and loan holding company and/or to acquire the assets or the ownership of, control of, or the power to vote shares of a savings association.

The applications listed below, as well as other related filings required by the Board, if any, are available for immediate inspection at the Federal Reserve Bank indicated. The applications also will be available for inspection at the offices of the Board of Governors. Interested persons may express their views in writing on whether the proposed transaction