


**2020 eCQM Flow**  
**eCQM Identifier: CMS134v8**


**NOTE:** This flow diagram represents an overview of population criteria requirements. **Refer to the eCQM specification for a complete list of data elements included in this measure and required for submission.**

**Diabetes: Medical Attention for Nephropathy**

The percentage of patients 18-75 years of age with diabetes who had a nephropathy screening test or evidence of nephropathy during the measurement period

This eCQM is a patient-based measure





## Sample Calculation

## Performance Rate =

Numerator (a = 40 patients)

Denominator (b = 100 patients) - Denominator Exclusions (x = 20 patients)

$$= \frac{40}{80} = 50\%$$

**eCQM Identifier: CMS134v8****eCQM Title: Diabetes: Medical Attention for Nephropathy**

**NOTE:** This flow diagram represents an overview of population criteria requirements. Refer to the eCQM specification for a complete list of data elements included in this measure and required for submission.

**Description:** The percentage of patients 18 to 75 years of age with diabetes who had a nephropathy screening test or evidence of nephropathy during the measurement period.

**This eCQM is a patient-based measure.**

**eCQM Flow Narrative****Initial Population**

Start by identifying the Initial Population, which includes patients 18 to 75 years of age with a diagnosis of diabetes (Type 1 or Type 2) which overlaps the measurement period and an eligible encounter during the measurement period.

**Denominator**

The Denominator equals the Initial Population. In the sample calculation provided at the end of the eCQM flow, the Denominator is equal to 100 patients.

**Denominator Exclusions**

The Denominator Exclusions criteria identify a subset of the Denominator population by excluding patients whose hospice care overlaps the measurement period, patients age 66 and older who are living long term in an institution for more than 90 days during the measurement period, and patients age 66 and older with advanced illness and frailty. In the sample calculation provided at the end of the eCQM flow, the Denominator Exclusions are equal to 20 patients.

**Numerator**

The Numerator criteria identify a subset of the Denominator population (that did not meet the Denominator Exclusions criteria) by including patients who have an active ACE or ARB medication, or who had a screening for nephropathy during the measurement period, or who had a nephropathy diagnosis during the measurement period. In the sample calculation provided at the end of the eCQM flow, the Numerator is equal to 40 patients.

**Sample Calculation**

A sample calculation is provided to help determine how the measure performance rate is derived. The measure performance rate is calculated by dividing the Numerator (total equals 40 patients) by the difference between the Denominator (total equals 100 patients) and the Denominator Exclusions (total equals 20 patients), which is equal to a score of 50 percent.