


2020 eCQM Flow
eCQM Identifier: CMS157v8
NQF Number: 0384e

NOTE: This flow diagram represents an overview of population criteria requirements. **Refer to the eCQM specification for a complete list of data elements included in this measure and required for submission.**

Oncology: Medical and Radiation Pain Intensity Quantified


Percentage of patient visits, regardless of patient age, with a diagnosis of cancer currently receiving chemotherapy or radiation therapy in which pain intensity is quantified

This eCQM is an episode-based measure



2020 eCQM Flow
eCQM Identifier: CMS157v8
NQF Number: 0384e

Oncology: Medical and Radiation Pain Intensity Quantified



Sample Calculation

Performance Rate* (Population 1 and 2) =

$$\frac{\text{Numerator } (a^1 + a^2 = 60 \text{ episodes})}{\text{Denominator } (b^1 + b^2 = 100 \text{ episodes})} = \frac{60}{100} = 60\%$$

*This eCQM is intended to have one performance rate

eCQM Identifier: CMS157v8**NQF Number: 0384e****eCQM Title: Oncology: Medical and Radiation Pain Intensity Quantified**

NOTE: This flow diagram represents an overview of population criteria requirements. Refer to the eCQM specification for a complete list of data elements included in this measure and required for submission.

Description: Percentage of patient visits, regardless of patient age, with a diagnosis of cancer currently receiving chemotherapy or radiation therapy in which pain intensity is quantified.

This eCQM is an episode-based measure.

eCQM Flow Narrative

Initial Population 1

Start by identifying the Initial Population 1, which includes a diagnosis of cancer that overlaps a face-to-face encounter with chemotherapy administered within 30 days prior to AND 30 days after face-to-face encounter.

Denominator 1

Denominator 1 is equal to the Initial Population 1. In the sample calculation provided at the end of the eCQM flow, Denominator 1 is equal to 50 episodes.

Numerator 1

The Numerator 1 criteria identify a subset of the Denominator 1 population by including pain intensity quantified during face-to-face encounter. In the sample calculation provided at the end of the eCQM flow, Numerator 1 is equal to 30 episodes.

Initial Population 2

Start by identifying the Initial Population 2, which includes a diagnosis of cancer that overlaps radiation treatment management encounter during measurement period.

Denominator 2

Denominator 2 is equal to the Initial Population 2. In the sample calculation provided at the end of the eCQM flow, Denominator 2 is equal to 50 episodes.

Numerator 2

The Numerator 2 criteria identify a subset of the Denominator 2 population by including pain intensity quantified during a radiation treatment management encounter. In the sample calculation provided at the end of the eCQM flow, Numerator 2 is equal to 30 episodes.

Sample Calculation

A sample calculation is provided to help determine how the measure performance rate is derived. The measure performance rate is calculated by summing Numerator 1 and Numerator 2 (total equals 60 episodes) then dividing by the sum of Denominator 1 and Denominator 2 (total equals 100 episodes), which is equal to a score of 60 percent.